

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010 Date of issue: 05/05/2016 Revision date: 30/11/2015 :

Version: 10.1

	OWDER A
SECTION 1: Identification of the	e substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: A5 MACHINE DISHWASH POWDER
Product code	: A5
Type of product	: Technical product
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Machine dishwashing products: Detergent
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the s	safety data sheet
SELDEN RESEARCH LIMITED	STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk
1.4. Emergency telephone numbe	
	Mon to Fri 8.30am to 5.00pm - 01298 26226
SECTION 2: Hazards identificat	ion
2.1. Classification of the substand	ce or mixture
Classification according to Regulation	(EC) No. 1272/2008 [CLP]
Skin Corr. 1B H314	
Aquatic Chronic 3 H412	statements : see section 16
Aquatic Chronic 3 H412	statements : see section 16
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements	statements : see section 16
Aquatic Chronic 3 H412 Full text of classification categories and H	
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements	
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC)	
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC)	
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC)	
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP)	
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP)	No. 1272/2008 [CLP] : GHS05 : Danger
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	No. 1272/2008 [CLP] : GHS05 : Danger : disodium metasilicate
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	No. 1272/2008 [CLP] : GHS05 : Danger : disodium metasilicate : H314 - Causes severe skin burns and eye damage
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	No. 1272/2008 [CLP] : GHS05 : Danger : disodium metasilicate
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 No. 1272/2008 [CLP] i i i i i i i i i i i i i i i i i i i
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 No. 1272/2008 [CLP] i i i i i i i i i i i i i i i i i i i
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 No. 1272/2008 [CLP] I void the second se
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 No. 1272/2008 [CLP] i i i i i i i i i i i i i i i i i i i
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 No. 1272/2008 [CLP] I void the second se
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC)	 No. 1272/2008 [CLP] <i>GHS05</i> <i>GHS05</i> <i>Danger disodium metasilicate H314</i> - Causes severe skin burns and eye damage H412 - Harmful to aquatic life with long lasting effects <i>P264</i> - Wash hands thoroughly after handling P273 - Avoid release to the environment P280 - Wear eye protection, protective gloves P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P315 - Get immediate medical advice/attention
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP) Precautionary statements (CLP)	 No. 1272/2008 [CLP] : • • • • • • • • • • • • • • • • • • •
Aquatic Chronic 3 H412 Full text of classification categories and H 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Hazardous ingredients Hazard statements (CLP)	 No. 1272/2008 [CLP] <i>GHS05</i> <i>GHS05</i> <i>Danger disodium metasilicate H314</i> - Causes severe skin burns and eye damage H412 - Harmful to aquatic life with long lasting effects <i>P264</i> - Wash hands thoroughly after handling P273 - Avoid release to the environment P280 - Wear eye protection, protective gloves P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P315 - Get immediate medical advice/attention

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium carbonate	(CAS No) 497-19-8 (EC no) 207-838-8 (EC index no) 011-005-00-2	30 - 60	Xi; R36	Eye Irrit. 2, H319
disodium metasilicate	(CAS No) 6834-92-0 (EC no) 229-912-9 (EC index no) 014-010-00-8	15 - 30	C; R34 Xi; R37	Skin Corr. 1B, H314 STOT SE 3, H335
troclosene sodium, dihydrate	(CAS No) 51580-86-0 (EC no) 220-767-7 (EC index no) 613-030-01-7	1 - 5	Xn; R22 R31 Xi; R36/37 N; R50/53	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it
	before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Burns.
4.3. Indication of any immediate medical	attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the sub	ostance or mixture
Hazardous decomposition products in case of fire	: Corrosive vapours.
5.3. Advice for firefighters	
No additional information available	
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	Jipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	nt and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
For further information refer to section 8: "Exposu	re controls/personal protection". For further information refer to section 13.
Document generated @ 05/05/2016 11:22:40	Page 2 of 7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 7: Handling and storage			
7.1. Precautions for safe handlin	ng sa		
Precautions for safe handling	: Avoid contact with skin and eyes.		
Hygiene measures	: Do not eat, drink or smoke when using this product.		
7.2. Conditions for safe storage,	Conditions for safe storage, including any incompatibilities		
Technical measures	: Does not require any specific or particular technical measures.		
Storage conditions	: Keep container closed when not in use.		
Incompatible products	: Oxidizing agent. Strong acids.		
Incompatible materials	: Metals.		
Special rules on packaging	: Keep only in original container.		
7.3. Specific end use(s)			

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Materials for protective clothing	: Not required for normal conditions of use
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Not required for normal conditions of use
Respiratory protection	: Not required for normal conditions of use



OF OTION A

SECTION 9: Physical and chemica	al properties
9.1. Information on basic physical an	d chemical properties
Physical state	: Solid
Appearance	: White solid.
Colour	: white.
Odour	: characteristic.
Odour threshold	: No data available
рН	: 10
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

9.2. **Other information** No additional information available **SECTION 10: Stability and reactivity** 10.1. Reactivity No additional information available 10.2. **Chemical stability** Stable under normal conditions. Possibility of hazardous reactions 10.3. No additional information available 10.4. **Conditions to avoid** No additional information available 10.5. Incompatible materials metals. Hazardous decomposition products 10.6.

No additional information available

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 10		
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 10		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: Not classified		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		

SECH	TION 12: Ecological Information	
12.1.	Toxicity	
No addit	ditional information available	
12.2.	Persistence and degradability	
No addit	lditional information available	
12.3.	Bioaccumulative potential	
No addit	lditional information available	
12.4.	Mobility in soil	
No addit	lditional information available	
12.5.	Results of PBT and vPvB assessment	
No addit	lditional information available	
12.6.	Other adverse effects	
No addit	lditional information available	
SECTI	TION 13: Disposal considerations	
13.1.	Waste treatment methods	
No addit	lditional information available	
SECTI	TION 14: Transport information	
In accore	ordance with ADR / RID / IMDG / IATA / ADN	
14.1.	UN number	
UN-No.	o. (ADR) : 3253	
Document ge	nt generated @ 05/05/2016 11:22:40	Page 4 of 7

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its pendment Regulation (EC) No. 453/2010 ac

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010			
UN-No. (IMDG)	: 3253		
UN-No.(IATA)	: 3253		
14.2. UN proper shipping name			
Proper Shipping Name (ADR)	: DISODIUM TRIOXOSILICATE		
Proper Shipping Name (IMDG)	: DISODIUM TRIOXOSILICATE		
Proper Shipping Name (IATA)	: DISODIUM TRIOXOSILICATE		
Transport document description (ADR)	: UN 3253 DISODIUM TRIOXOSILICATE (mixture), 8, III, (E)		
Transport document description (IMDG)	: UN 3253 DISODIUM TRIOXOSILICATE, 8, III		
14.3. Transport hazard class(es)			
ADR			
Transport hazard class(es) (ADR)	: 8		
Danger labels (ADR)	: 8		
IMDG			
Transport hazard class(es) (IMDG)	: 8		
Danger labels (IMDG)	: 8		
ΙΑΤΑ			
Transport hazard class(es) (IATA)	: 8		
Hazard labels (IATA)	: 8		
	8		
14.4. Packing group			
Packing group (ADR)	: III - III		
Hooking group (IMDC)	• 10		

Packing group (IMDG)	: 111
Packing group (IATA)	: III
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: C6
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

according to Regulation (EC) No. 1907/2006 (REACH) w	ith its amendment Regulation (EC) No. 453/2010
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VV9
Hazard identification number (Kemler No.)	: 80
Orange plates	
	80
	3253
Tunnel restriction code (ADR)	: E
EAC code	: 2X
- Transport by sea	
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Stowage and segregation (IMDG)	: 'Separated from' acids.
Properties and observations (IMDG)	 Colourless hygroscopic solid. Dangerous reaction with oxidizers. In the presence of moisture, reacts with aluminium, zinc, tin and their compounds, evolving hydrogen, a flammable gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y845
PCA limited quantities (IATA)	: 5kg
PCA packing instructions (IATA)	: 860
PCA max net quantity (IATA)	: 25kg
	: 864
CAO packing instructions (IATA) CAO max net quantity (IATA)	
	: 100kg
ERG code (IATA)	: 8L
14.7. Transport in bulk according to Anne IBC code	ex II of MARPOL 73/78 and the IBC Code : Not applicable.
SECTION 15: Regulatory information	n
15.1. Safety, health and environmental re	gulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	
Contains no substances with Annex XVII restrict Contains no substance on the REACH candidate	
Contains no REACH Annex XIV substances	ट ॥ २ ।
15.1.2. National regulations	
Germany	
VwVwS Annex reference	: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Immission Control Act - 12.BImSchV	
Denmark	
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH031	Contact with acids liberates toxic gas

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product