



## SAFETY DATA SHEET 5L SUPER PROFESSIONAL THICK BLEACH W3

Commission Regulation (EU) No 2015/830 of 28 May 2015.

	he substance/mixture and of the company/undertaking	
1.1. Product identifier Product name	5L SUPER PROFESSIONAL THICK BLEACH W3	
Product number	800-112-1104 W3	
Container size	2 x 5 litres	
1.2. Relevant identified uses of	f the substance or mixture and uses advised against	
Identified uses	Cleaning agent. Disinfectant.	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of t	he safety data sheet	
Supplier	Mirius <sup>™</sup> A Coventry Group Company Woodhams Road Siskin Drive Coventry CV3 4FX Tel: +44 (0) 02476 639 739 Fax: +44 (0) 02476 639 717 Email: sales@mirius.com	
Contact person	For content of safety data sheet:, sds@mirius.com	
1.4. Emergency telephone nul	mber	
Emergency telephone	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)	
National emergency telephone number	In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mixture		
Classification (EC 1272/2008)		
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
Environmental hazards	Not Classified	
2.2. Label elements		
Pictogram		



Signal word	Danger
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements	<ul> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 Immediately call a POISON CENTER/ doctor.</li> <li>P102 Keep out of reach of children.</li> <li>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>
Supplemental label information	EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).
Contains	SODIUM HYPOCHLORITE, C12-14-ALKYL ETHER SULFATES
Detergent labelling	< 5% anionic surfactants, < 5% chlorine-based bleaching agents, < 5% perfumes
2.3. Other hazards	

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients			
3.2. Mixtures			
SODIUM HYPOCHLORITE			1-5%
CAS number: 7681-52-9	EC number: 231-668-3	REACH registration number: 01- 2119488154-34-XXXX	
M factor (Acute) = 10	M factor (Chronic) = 1		
<b>Classification</b> Met. Corr. 1 - H290 Skin Corr. 1B - H314 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (6 C;R34 R31 N;R	<b>7/548/EEC or 1999/45/EC)</b> 50	
C12-14-ALKYL ETHER SULFATES			1-5%
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01- 2119488639-16-XXXX	
<b>Classification</b> Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	<b>Classification (6</b> Xi;R38,R41.	7/548/EEC or 1999/45/EC)	
1			

SODIUM HYDROXIDE		<1%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01- 2119457892-27-XXXX
<b>Classification</b> Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318	<b>Classification</b> C;R35	(67/548/EEC or 1999/45/EC)
The Full Text for all R-Phrases	s and Hazard Statements are Displayed in Sect	tion 16.
SECTION 4: First aid measure	95	
4.1. Description of first aid me	asures	
Inhalation	Move affected person to fresh air at once. Ge Rinse nose and mouth with water.	et medical attention if any discomfort continues.
Ingestion	Do not induce vomiting. Rinse mouth thoroug Keep affected person under observation. Get Show this Safety Data Sheet to the medical p	medical attention if any discomfort continues.
Skin contact	Remove contaminated clothing. Get medical a immediately with plenty of water.	attention if irritation persists after washing. Rinse
Eye contact	Remove any contact lenses and open eyelids minutes. Get medical attention if irritation pers to the medical personnel. Rinse immediately	sists after washing. Show this Safety Data Sheet
4.2. Most important symptoms	and effects, both acute and delayed	
Inhalation	May cause respiratory system irritation.	
Ingestion	Ingestion may cause severe irritation of the m tract. May cause stomach pain or vomiting.	nouth, the oesophagus and the gastrointestinal
Skin contact	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.	
Eye contact	Symptoms following overexposure may includ eyes.	de the following: Redness. Pain. Irritating to
4.3. Indication of any immedia	te medical attention and special treatment need	ded
Notes for the doctor	No specific recommendations. If in doubt, get	medical attention promptly.
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-exting Foam, carbon dioxide or dry powder.	uishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.
5.2. Special hazards arising fro	om the substance or mixture	
Hazardous combustion products	Thermal decomposition or combustion produc gases or vapours. Chlorine. Hydrogen chlorid	cts may include the following substances: Toxic le (HCl). Oxides of carbon.
5.3. Advice for firefighters Protective actions during firefighting	Control run-off water by containing and keeping	ng it out of sewers and watercourses.

onal protection, see Section 8.		
onal protection, see Section 8.		
onal protection, see Section 8.		
on 13. Do not discharge into drains or		
lenty of water. Absorb spillage with non- nto drains or watercourses or onto the place into containers. Do not use quate ventilation. Flush contaminated area pring drains, sewers or watercourses.		
11 for additional information on health		
f this safety data sheet. Provide adequate nhalation of vapours and spray/mists. oduct or ingredients. Do not mix with acid.		
mented. Do not eat, drink or smoke when promptly with soap and water if skin g before reuse. Use appropriate skin		
ol and well-ventilated place. Protect from Store at temperatures between 5°C and		
7.3. Specific end use(s)		
ection 1.2.		
SECTION 8: Exposure Controls/personal protection		
8.1. Control parameters         Occupational exposure limits         SODIUM HYPOCHLORITE         Short-term exposure limit (15-minute): WEL 0.5 ppm 1.5 mg/m³         SODIUM HYDROXIDE         Short-term exposure limit (15-minute): WEL 2 mg/m³         WEL = Workplace Exposure Limit		

### SODIUM HYPOCHLORITE (CAS: 7681-52-9)

# **5L SUPER PROFESSIONAL THICK BLEACH W3**

DNEL	Industry - Inhalation; Long term local effects: 1.55 mg/m <sup>3</sup> Industry - Inhalation; Long term systemic effects: 1.55 mg/m <sup>3</sup> Industry - Inhalation; Short term local effects: 3.1 mg/m <sup>3</sup> Industry - Inhalation; Short term systemic effects: 3.1 mg/m <sup>3</sup> Consumer - Inhalation; Long term local effects: 1.55 mg/m <sup>3</sup> Consumer - Inhalation; Long term systemic effects: 1.55 mg/m <sup>3</sup> Consumer - Inhalation; Short term local effects: 3.1 mg/m <sup>3</sup> Consumer - Inhalation; Short term local effects: 3.1 mg/m <sup>3</sup> Consumer - Inhalation; Short term systemic effects: 3.1 mg/m <sup>3</sup>
PNEC	- Fresh water; 0.00021 mg/l - Marine water; 0.000042 mg/l - Intermittent release; 0.00026 mg/l - STP; 4.69 mg/l - ; <u>C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)</u>
DNEL	Workers - Inhalation; Long term systemic effects: 175 mg/m³ Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m³ Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day
PNEC	<ul> <li>Fresh water; 0.24 mg/l</li> <li>Marine water; 0.024 mg/l</li> <li>Intermittent release; 0.071 mg/l</li> <li>Sediment, Fresh water; 0.917 mg/kg</li> <li>Sediment, Marine water; 0.092 mg/kg</li> <li>Soil; 7.5 mg/kg</li> <li>STP; 10,000 mg/l</li> </ul>
	SODIUM HYDROXIDE (CAS: 1310-73-2)
DNEL	Industry - Inhalation; Long term local effects: 1.0 mg/m <sup>3</sup> Consumer - Inhalation; Long term local effects: 1.0 mg/m <sup>3</sup>
8.2. Exposure controls Protective equipment	
Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn i a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin cream to prevent drying of skin.
Hygiene measures	When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	Respiratory protection not required.
Environmental exposure controls	Avoid releasing into the environment.

## **SECTION 9: Physical and Chemical Properties**

9.1. Information on basic physical and chemical properties		
Appearance	Viscous liquid.	
Colour	Colourless to pale yellow.	
Odour	Chlorine.	
Odour threshold	Not applicable.	
рН	pH (concentrated solution): >11	
Relative density	1.070 typically @ 20°C	
Solubility(ies)	Soluble in water.	
Explosive under the influence of a flame	Not considered to be explosive.	
Comments	Information given is applicable to the product as supplied.	
9.2. Other information		
Other information	Not relevant.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	The reactivity data for this product will be typical of those for the following class of materials: Acids. Alkalis. Oxidising materials.	
10.2. Chemical stability		
Stability	Decomposes over time. Factors that increase the rate of decomposition: increase in temperature, certain metallic impurities, high initial concentration, fall in pH below 11and exposure to light.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	Generates toxic gas in contact with acid. Chlorine.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.	
10.5. Incompatible materials		
Materials to avoid	Acids. Ammonia. Organic compounds. Some metals. Nickel. Iron. Copper.	
10.6. Hazardous decomposition products		

Hazardous decomposition Chlorine. Hydrogen chloride (HCl). Oxides of the following substances: Chlorine. products

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Toxicological effects	Data for sodium hypochlorite solution 15% shows low acute oral toxicity: LC50(rat, oral) 1100 mg/kg (as available chlorine). Low acute inhalation toxicity. LC50 (rat, 1hr) >10500mg/m3 (as available chlorine). Very low acute dermal toxicity. LC50 (rat, dermal) >2000 mg/kg (as available chlorine).	
Other health effects	Does not contain any substances known to be carcinogenic.	
Acute toxicity - oral Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal Notes (dermal LD <sub>50</sub> )	Based on available data the classification criteria are not met.	
$\frac{\text{Acute toxicity - inhalation}}{\text{Notes (inhalation LC}_{50})}$	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye damage.	
Respiratory sensitisation Respiratory sensitisation	Not sensitising. Based on available data the classification criteria are not met.	
Skin sensitisation Skin sensitisation	Not sensitising.	
Germ cell mutagenicity Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.	
Carcinogenicity Carcinogenicity	Does not contain any substances known to be carcinogenic.	
Reproductive toxicity Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.	
Specific target organ toxicity - single exposure		
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
General information	This product has low toxicity.	
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.	
Skin contact	Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Dryness and/or cracking.	
Eye contact	May cause temporary eye irritation.	

### Toxicological information on ingredients.

	SODIUM HYPOCHLORITE
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	8,910.0
Species	Rat
ATE oral (mg/kg)	8,910.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅ mg/kg)	2,001.0
Species	Rabbit
ATE dermal (mg/kg)	2,001.0
Skin corrosion/irritation	
Animal data	Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit
Serious eye damage/irritation	on
Serious eye damage/irritation	Corrosivity to eyes is assumed.
Respiratory sensitisation	
Respiratory sensitisation	Not sensitising.
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vivo	REACH dossier information. Negative.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity	
Reproductive toxicity - fertility	REACH dossier information. No evidence of reproductive toxicity in animal studies.
2: Ecological Information	
Not rega	rded as dangerous for the environment. The product is classified using the test data

Ecotoxicity

SECTION

Not regarded as dangerous for the environment. The product is classified using the test data for the AISE model bleach product. Ref: International Association for Soaps, Detergents and Maintenance Products publication "Environmental classification of sodium hypochlorite containing bleach products". The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

### 12.1. Toxicity

Toxicity

Not considered toxic to fish.

Acute aquatic toxicity

Acute toxicity - aquatic	Reference: AISE report "Environmental classification of sodium hypochlorite containing bleach
invertebrates	products.", 9 September 2009.
	EC₅₀, 48 hours: > 1 mg/l mg/l, Daphnia magna

#### Ecological information on ingredients.

### SODIUM HYPOCHLORITE

Acute aquatic toxicity	
LE(C)₅₀	0.01 < L(E)C50 ≤ 0.1
M factor (Acute)	10
Acute toxicity - fish	EC₅₀, 96 hours: 0.01-0.1 mg/l,
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 0.01-0.1 mg/l, Daphnia magna
Acute toxicity - microorganisms	LOEC, : 0.375 mg/l, Activated sludge
Chronic aquatic toxicity	
NOEC	0.001 < NOEC ≤ 0.01
Degradability	Rapidly degradable
M factor (Chronic)	1

#### 12.2. Persistence and degradability

Persistence and degradability The product contains inorganic substances which are not biodegradable. May accumulate in soil and sediment. Substantially removed in biological treatment processes. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

#### Ecological information on ingredients.

### SODIUM HYPOCHLORITE

Biodegradation	The methods for determining the biological degradability are not applicable to inorganic substances.		
12.3. Bioaccumulative potential			
Bioaccumulative potential No data available on bioaccumulation.			
Ecological information on ingredients.			
	SODIUM HYPOCHLORITE		
Bioaccumulative pote	ntial Low potential for bioaccumulation.		
Partition coefficient	log Kow: -3.4174 REACH dossier information.		
12.4. Mobility in soil			
Mobility Th	The product is water-soluble and may spread in water systems.		

Ecological information on ingredients.

### SODIUM HYPOCHLORITE

# **5L SUPER PROFESSIONAL THICK BLEACH W3**

Henry's law cons	tant 0.076 @ 20°C	
12.5. Results of PBT and vPvE	3 assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
Ecological information on ingre	edients.	
	SODIUM HYPOCHLORITE	
Results of PBT a	nd vPvB No data available.	
assessment		
12.6. Other adverse effects		
Other adverse effects	There is evidence that sodium hypochlorite inhibits the aerobic treatment process at a concentration of 0.05 mg/l.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	S	
General information	When handling waste, the safety precautions applying to handling of the product should be considered.	
Disposal methods	Dispose of waste product or used containers in accordance with local regulations	
SECTION 14: Transport inform	nation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping name	8	
Not applicable.		
14.3. Transport hazard class(e	<u>s)</u>	
No transport warning sign requ	lired.	
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for u	ser	
Not applicable.		
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code		
SECTION 15: Regulatory infor	mation	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		

National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). EH40/2005 Workplace exposure limits.
EU legislation	<ul> <li>Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.</li> <li>Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).</li> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</li> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</li> <li>Commission Regulation (EU) No 453/2010 of 20 May 2010.</li> <li>Commission Regulation (EU) No 2015/830 of 28 May 2015.</li> </ul>
Guidance	COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out. Sodium hypochlorite. and Sodium hydroxide.

### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<ul> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> <li>MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.</li> <li>PNEC: Predicted No Effect Concentration.</li> <li>DNEL: Derived No Effect Level.</li> </ul>
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision. New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015'
Revision date	12/07/2018
Revision	2
Supersedes date	07/06/2017
Risk phrases in full	R31 Contact with acids liberates toxic gas. R34 Causes burns. R35 Causes severe burns. R36 Irritating to eyes. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.

Hazard statements in full	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life.
	H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.