Product Hand Dish Washing Liquid-704 **Revision date** 11 December 2017 Revision 2



Safety Data Sheet (SDS)

Section 1: Identification of the substance/preparation and of the company/undertaking

Product name	Hand Dish Washing Liquid-704		
Product no.	704		
Synonyms, Trade names	No information available.		

Identified uses	Cleaning agent.			
	Product is for professional use only.			
Uses advised against	No uses advised against are identified.			

1.3 Details of the supplier of the safety data sheet

Kitchenmaster NI Ltd 11 Comber Road Belfast BT8 8AN United Kingdom Tel: 028 9081477 02890812881 sales@kitchenmaster-ni.com

Contact person

1.4 Emergency telephone number

Emergency telephone

Emergency Telephone Number: 028 9081 4777 08:30 - 17:00 Monday to Thursday 08:30 -16:30 Friday

against

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)	
Physical and chemical hazards	Not classified
Human health	Eye Irrit.2A - H319
Environment	Not classified

2.2 Label elements

Contains

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)

Label in accordance with (EC) no. 1272/2008



H319 Causes serious eye irritation.

Signal word

Hazard statements

Warning

Precautionary statements

Prevention P264 Wash thoroughly after handling. P280 Wear protective gloves/ protective clothing/eye protection/face protection. Response P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

None known.

Section 3: Composition/identification of ingredients

<u>3.1 Substance</u>

Not applicable.

3.2 Mixtures

Name	Product identifier	Reg. EU 1272/2008	%
Benzenesulfonic acid, 4-C10-13 ec-alkyl derivs.		Aquatic Chronic 3 - H412, Acute Tox 4 - H302, Skin Corr. 1C - H314, Eye Dam. 1 - H318	1-10%
	CAS-No.: 68155-07-7 EC No.: 931-329-6 REACH Reg No.: 01-2119490100-53-XXXX	Aquatic Chronic 2 - H411, Skin Irrit.2 - H315, Eye Dam. 1 - H318	1-10%
2-aminoethanol ethanolamine		Acute Tox 4 - H302, Acute Tox 4 - H312, Skin Corr. 1B - H314, Acute Tox 4 - H332	0-1%

The full text for all hazard statements are displayed in section 16.

```
Composition comments
```

The data shown are in accordance with the latest EC Directives.

Section 4: First aid measures

4.1 Description of first aid measures

General information	Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor. Seek medical attention for all burns and eye injuries, regardless how minor they may seem. First aid personnel must be aware of own risk during rescue.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.
Ingestion	If this product is ingested, remove victim immediately from source of exposure. Rinse mouth thoroughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get medical attention. Never give anything by mouth to an unconscious person.
Skin contact	Remove victim immediately from source of exposure. Remove contaminated clothing, shoes and jewelry and wash before reuse. Wash the skin immediately with water. Obtain medical attention if irritation persists or if blistering occurs.
Eye contact	Do not rub eye. If this product contacts the eyes, gently flush eyes with water for at least fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove contact lenses if present and easy to do so. Avoid contaminating unaffected eye. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms noted.
Ingestion	Exposure to liquid product may cause irritation to mouth, throat and esophagus.
Skin contact	Contact with skin may cause irritation.
Eye contact	Causes serious eye irritation, including redness and tearing.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physician	Treat symptomatically.
------------------------	------------------------

Section 5: Fire-fighting measures

5.1 Extinguishing media **Extinguishing media** Use fire-extinguishing media appropriate for surrounding materials. Unsuitable extinguishing media None noted. 5.2 Special hazards arising from the substance or mixture Hazardous combustion products When heated, toxic and corrosive vapours/gases may be formed. During fire, toxic gases (CO, CO2) are formed. Unusual fire & explosion hazards No unusual fire or explosion hazards noted. Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). In the event of damage to **Specific hazards** packaging, floors may become slippery, avoid falls. **5.3 Advice for firefighters** Special fire fighting procedures If possible, fight fire from protected position. Avoid breathing fire vapours. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so. Keep run-off water out of sewers and water sources. Dike for water control. Protective equipment for firefighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for firefighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

· · · ·					
Personal precautions For emergency responders	Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Eliminate all sources of ignition. Avoid inhalation of vapours and contact with skin and eyes. In case of inadequate ventilation, use respiratory protection. Do not touch or walk through spilled material. If necessary evacuate surrounding areas. Follow safe handling advice and personal protective equipment recommendations for normal				
ior omorgonoy respondore	use of product.				
6.2 Environmental precautions					
Environmental precautions	Do not discharge onto the ground or into water courses.				
6.3 Methods and material for containme	ent and cleaning up				
Spill clean up methods	Stop leak if possible without risk. DO NOT touch spilled material! When dealing with a spillage, wear necessary protective equipment. Absorb spillage with non-combustible, inert absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage. Floors may become slippery, avoid falls.				
6.4 Reference to other sections					
Reference to other sections	See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.				

Section 7: Handling and storage		
7.1 Precautions for safe handling		

Handling	Read and follow manufacturer's recommendations. Use proper personal protection when handling (refer to Section 8). Do not handle broken packages without protective equipment. Do not use contact lenses. Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Do not eat, drink or smoke when using the product. Wash thoroughly after handling.
7.2 Conditions for safe storage, including	ng any incompatibilities
Storage precautions	Keep upright, locked up and out of reach of children. Keep the product in its original container. Store in cool dry areas away from direct sunlight or sources of ignition.
Storage class	Unspecified storage.

7.3 Specific end use(s)

Specific end use(s) Usage description The identified uses for this product are detailed in Section 1.2. Use only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection

8.1 Control parameters


Component	STD	TWA (8 Hrs)		STEL (15mins)		Notes
2-aminoethanol ethanolamine	OEL	1 ppm	2.5 mg/m ³	3 ppm	7.6 mg/m ³	
2-aminoethanol ethanolamine	WEL	1 ppm	2,5 mg/m ³	3 ppm	7,6 mg/m ³	

Ingredient comments

WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits. OEL - Occulational Exposure Limit - Ireland, Occupational Exposure Limits 2016.

8.2 Exposure Controls

Protective equipment



Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Green.
Odour	No information available.
Odour threshold - lower	No information available.

Odour threshold - upper	No information available.
pH-Value, Conc. Solution	7.00
pH-Value, Diluted solution	No information available.
Melting point	No information available.
Initial boiling point and boiling range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability state	No information available.
Flammability limit - lower(%)	No information available.
Flammability limit - upper(%)	No information available.
Vapour pressure	No information available.
Vapour density (air=1)	No information available.
Relative density	1.004.
Bulk density	No information available.
Solubility	Soluble in water.
Decomposition temperature	No information available.
Partition coefficient; n- Octanol/Water	No information available.
Auto ignition temperature (°C)	No information available.
Viscosity	No information available.
Explosive properties	Not classified as explosive.
Oxidising properties	No information available.
9.2 Other information	
Molecular weight	No information available.
Volatile organic compound	No information available.
Other information	None noted.
Section 10: Stability and reactivity	

Section 10: Stability and reactivity

10.1 Reactivity	
Reactivity	Reaction with: Strong oxidising agents. Acids.
<u>10.2 Chemical stability</u> Stability	Stable under normal temperature conditions and recommended use.
10.3 Possibility of hazardous reactions	Avoid strong avidingers Avoid contact with soids
Hazardous reactions Hazardous polymerisation Polymerisation description	Avoid strong oxidizers. Avoid contact with acids. Will not polymerise. Not applicable.

10.4 Conditions to Avoid	
Conditions to avoid	Heat, sparks, open flames, temperature extremes and direct sunlight.
10.5 Incompatible materials	
Materials to avoid	Keep away from acids and oxidants. Do not mix with other chemicals unless listed on directions.
10.6 Hazardous decomposition product	ts

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Section 11: Toxicological information

11.1 Information on toxicological effects

Toxicological information	No toxicological information for the overall finished product.	
Acute toxicity (Oral LD50)	No information available.	
Acute toxicity (Dermal LD50)	No information available.	
Acute toxicity (Inhalation LD50)	No information available.	
Serious eye damage/irritation	Causes serious eye irritation.	
Skin corrosion/irritation	No information available.	
Respiratory sensitisation	No information available.	
Skin sensitisation	No information available.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
Specific target organ toxicity - Sing	le exposure:	
STOT - Single exposure	No information available.	
Specific target organ toxicity - Repeated exposure:		
STOT - Repeated exposure	No information available.	
Inhalation	No specific symptoms noted.	
Ingestion	Exposure to liquid product may cause irritation to mouth, throat and esophagus.	
Skin contact	Contact with skin may cause irritation.	
Eve contact		
	Causes serious eye irritation, including redness and tearing.	
Waste management	Causes serious eye irritation, including redness and tearing. When handling waste, consideration should be made to the safety precautions applying to handling of the product.	
J.	When handling waste, consideration should be made to the safety precautions applying to handling of the product.	
Routes of entry	When handling waste, consideration should be made to the safety precautions applying to handling of the product. No information available.	
Routes of entry Target organs	When handling waste, consideration should be made to the safety precautions applying to handling of the product.No information available.Eyes, skin, digestive system, respiratory system.	
Routes of entry Target organs Aspiration hazards:	 When handling waste, consideration should be made to the safety precautions applying to handling of the product. No information available. Eyes, skin, digestive system, respiratory system. No information available. 	
Routes of entry Target organs	When handling waste, consideration should be made to the safety precautions applying to handling of the product.No information available.Eyes, skin, digestive system, respiratory system.	

Name	LD50 oral	LD50 dermal	LD50 inhalation
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.	1470.00mg/kg Rat	2000.00mg/kg Rat	
2-aminoethanol ethanolamine	1720.00mg/kg Rat		

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - FishNo information available.Acute toxicity - Aquatic invertebratesNo information available.Acute toxicity - Aquatic plantsNo information available.Acute toxicity - MicroorganismsNo information available.Chronic toxicity - FishNo information available.

Chronic toxicity - Aquatic invertebrates	No information available.	
Chronic toxicity - Aquatic plants Chronic toxicity - Microorganisms Ecotoxicity Eco toxilogical information	No information available. No information available. No Ecological information on the finished product. No ecological toxicity available on the overall finished product.	
12.2 Persistence and degradability		
Degradability Biological oxygen demand Chemical oxygen demand	The degradability of the product has not been stated. No information available. No information available.	
12.3 Bioaccumulative potential		
Bioaccumulative potential Bioaccumulation factor Partition coefficient; n- Octanol/Water	No data available on bioaccumulation. No information available. No information available.	
<u>12.4 Mobility in soil</u>		
Mobility	Soluble in water.	
12.5 Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment No information available.		

12.6 Other adverse effects

Other adverse effects

None known.

Name	Acute toxicity (Fish)		Acute toxicity (Aquatic plants)
	LC50 96 Hours ~5.00mg/l Lepomis macrochirus (Bluegill)	EC50 48 Hours ~5.00mg/l Daphnia magna	

Section 13: Disposal considerations		
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.	
13.1 Waste treatment methods		
Disposal methods	Dispose of waste and residues in accordance with local authority requirements.	
Section 14: Transport information		
14.1 UN number		
UN no. (ADR) UN no. (IMDG) UN no. (IATA)	Not applicable. Not applicable. Not applicable.	
<u>14.2 UN proper shipping name</u>		
ADR proper shipping name IMDG proper shipping name IATA proper shipping name	Not applicable. Not applicable. Not applicable.	
<u>14.3 Transport hazard class(es)</u>		
ADR class IMDG class IATA class	Not applicable. Not applicable. Not applicable.	
Transport labels	Not applicable	

14.4 Packing group

ADR/RID/ADN packing group	Not applicable.		
IMDG packing group	Not applicable.		
IATA packing group	Not applicable.		
14.5 Environmental hazards			
ADR	No		
IMDG	No		
IATA	No		
14.6 Special precautions for user			
EMS	Not applicable.		
Emergency action code	Not applicable.		
Hazard no. (ADR)	Not applicable.		
Tunnel restriction code	Not applicable.		

14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th May 2010 amending regulation (EC) No 1907/2006.
Approved code of practice	Workplace Exposure Limits Guidance Note EH40/2005.
	2016 Code of Practice for the Chemical Agents Regulations in accordance with section 60 of the Safety, Health and Welfare at Work Act 2005 (No. 10 of 2005).
Chemical safety assessment	No chemical safety assessment has been carried out.

Section 16: Other information

General information Revision comments	This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010. This is a first issue. [3]Section 3: Information updated. Formulation change. [8]Section 8: Information updated. [11]Section 11: Information updated. [12]Section 12: Information updated.
Revision date	11 December 2017
Supersedes date	05 July 2017
Revision	2
Safety data sheet status	Approved.

Hazard statements in full

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
H315	Causes skin irritation.
H411	Toxic to aquatic life with long lasting effects.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H272	May intensify fire; oxidiser.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H226	Flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer .
H301	Toxic if swallowed.

H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H228	Flammable solid.
H304	May be fatal if swallowed and enters airways.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.