ProductMedioRevision date24 July 2017Revision1



Safety Data Sheet (SDS)

Section 1: Identification of the substance/preparation and of the company/undertaking

1.1 Product identifier

Product name	Medio
Product no.	LMMEDIO
Synonyms, Trade names	No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cleaning agent.
Uses advised against	No uses advised against are identified.

1.3 Details of the supplier of the safety data sheet

Supplier	Kitchenmaster NI Ltd
	11 Comber Road
	Belfast
	BT8 8AN
	United Kingdom
	Tel: 028 9081477 02890812881
Contact person	sales@kitchenmaster-ni.com
1.4 Emergency telephone number	
Emergency telephone	Emergency Telephone Number: 028 9081 4777 08:30 – 17:00 Monday to Thursday 08:30 – 16:30 Friday

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)	
Physical and chemical hazards	Not classified
Human health	Skin Corr. 1C - H314, Eye Dam. 1 - H318
Environment	Not classified

2.2 Label elements

Contains

ALCOHOL POLYGLYCOLETHER, NONIONIC Alcohols, C13-15, branched and linear, ethoxylated

Label in accordance with (EC) no. 1272/2008



Signal word

Danger

Hazard statements

Precautionary statements

H314 Causes severe skin burns and eye damage.

Prevention
P260 Do not breathe dust/fume/ gas/mist/vapours/spray.
P280 Wear protective gloves/ protective clothing/eye protection/face protection.
Response
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/ shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician.

2.3 Other hazards

None known.

Section 3: Composition/identification of ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Reg. EU 1272/2008	%
	CAS-No.: EC No.:	Acute Tox 4 - H302, Eye Dam. 1 - H318	1-10%
Alcohols, C13-15, branched and linear, ethoxylated	CAS-No.: 157627-86-6 EC No.: 500-337-8	Acute Tox 4 - H302, Eye Dam. 1 - H318	1-10%

The full text for all hazard statements are displayed in section 16.

Composition comments

The data shown are in accordance with the latest EC Directives.

Section 4: First aid measures

4.1 Description of first aid measures

General information	Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor. Seek medical attention for all burns and eye injuries, regardless how minor they may seem. First aid personnel must be aware of own risk during rescue.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.
Ingestion	If this product is ingested, remove victim immediately from source of exposure. Rinse mouth thoroughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get medical attention. Never give anything by mouth to an unconscious person.
Skin contact	Remove victim immediately from source of exposure. Remove contaminated clothing, shoes and jewelry and wash before reuse. Wash the skin immediately with water. Obtain medical attention if irritation persists or if blistering occurs.
Eye contact	Do not rub eye. If this product contacts the eyes, gently flush eyes with water for at least fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove contact lenses if present and easy to do so. Avoid contaminating unaffected eye. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the
	length of exposure.
Inhalation	Inhalation of mist or vapor may cause respiratory tract irritation.
Ingestion	May cause chemical burns in mouth and throat. May cause severe internal injury.
Skin contact	Corrosive. Cause severe skin burns.
Eye contact	Extreme irritation of eyes and mucous membranes, including burning and tearing. Causes
	severe eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physician Treat symptomatically.

Section 5: Fire-fighting measures		
<u></u>		

5.1 Extinguishing media

Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media None noted.

5.2 Special hazards arising from the substance or mixture

	Unusual fire & explosion hazards	When heated, toxic and corrosive vapours/gases may be formed. During fire, toxic gases (CO, CO2) are formed. No unusual fire or explosion hazards noted. Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). Water used for fire extinguishing, which has been in contact with the product, may be corrosive.		
<u>5.3</u> A	5.3 Advice for firefighters			
	Special fire fighting procedures	If possible, fight fire from protected position. Avoid breathing fire vapours. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so.		
		Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		

Section 6: Accidental release measures

<u>6</u>

Storage class

Personal precautionsWear protective clothing as described in Section 8 of this safety data sheet. Provide
adequate ventilation. Eliminate all sources of ignition. Avoid inhalation of vapours and
contact with skin and eyes. In case of inadequate ventilation, use respiratory protection. Do
not touch or walk through spilled material. If necessary evacuate surrounding areas.
Follow safe handling advice and personal protective equipment recommendations for normal
use of product.6.2 Environmental precautionsDo not discharge onto the ground or into water courses. Spillages or uncontrolled discharges
into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other

appropriate regulatory body.

disposal, see section 13.

6.3 Methods and material for containment and cleaning up

6.1 Personal precautions, protective equipment and emergency procedures

is methods and material for contain	inicit und cleaning up
Spill clean up methods	Stop leak if possible without risk DO NOT touch spilled material! When dealing with a spillage, wear necessary protective equipment. Absorb spillage with non-combustible, inert absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.
4 Reference to other sections	
Reference to other sections	See section 1 for emergency contact. For personal protection, see section 8. For waste

Section 7: Handling and storage 7.1 Precautions for safe handling Handling Read and follow manufacturer's recommendations. Use proper personal protection when handling (refer to Section 8). Do not handle broken packages without protective equipment. Do not use contact lenses. Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Do not eat, drink or smoke when using the product. Wash thoroughly after handling. 7.2 Conditions for safe storage, including any incompatibilities Storage precautions Keep upright, locked up and out of reach of children. Keep the product in its original container. Store in cool dry areas away from direct sunlight or sources of ignition.

Corrosive storage.

7.3 Specific end use(s)

Specific end use(s) Usage description The identified uses for this product are detailed in Section 1.2. Use only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection		
8.1 Control parameters		
Ingredient comments	No exposure limits noted for ingredient(s).	
8.2 Exposure Controls		
Protective equipment		
Engineering measures	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.	
Respiratory equipment	If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/145/143/149. The specific respirator selected must be based on contamination levels found in the work place. Where risk assessment shows air-purifying respirators are appropriate a full face respirator conforming to EN143 should be used, and suitable respirator cartridges as a backup to engineering controls. Recommended: Respirator with combination filter for organic vapour/particulate (EN 141). Consult manufacturer for specific advice.	
Hand protection	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Gloves must be inspected prior to use. Suggested material: Nitrile rubber. Layer thickness: 0.11mm. Breakthrough time: >480 min. Consult manufacturer for advice. Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.	
Eye protection	Wear safety goggles or face shield to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).	
Other protection	Wear appropriate clothing to prevent skin contact. The selected clothing must satisfy the European norm standard EN 943. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handing this product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed.	
Hygiene measures	Observe normal hygiene standards. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke. Wash hands after use.	
Process conditions	Ensure that eye flushing systems and safety showers are located close by in the work place.	

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour	Liquid. Clear. No information available.
Odour threshold - lower	No information available.
Odour threshold - upper	No information available.
pH-Value, Conc. Solution	14.00
pH-Value, Diluted solution	No information available.

Melting point	No information available.
Initial boiling point and boiling range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability state	No information available.
Flammability limit - lower(%)	No information available.
Flammability limit - upper(%)	No information available.
Vapour pressure	No information available.
Vapour density (air=1)	No information available.
Relative density	1.028g/cm ³ @ 20.00 °C
Bulk density	No information available.
Solubility	Soluble in water.
Decomposition temperature	No information available.
Partition coefficient; n- Octanol/Water	No information available.
Auto ignition temperature (°C)	No information available.
Viscosity	No information available.
Explosive properties	Not classified as explosive.
Oxidising properties	No information available.
9.2 Other information	
Molecular weight	No information available.
Volatile organic compound	No information available.
Other information	None noted.

Section 10: Stability and reactivity

Reaction with: Strong oxidising agents. Reaction with strong acid.
Stable under normal temperature conditions and recommended use.
Avoid strong oxidizers. Will not polymerise. Not applicable.
Heat, sparks, open flames, temperature extremes and direct sunlight.

Materials to avoid

Avoid oxidising agents. Strong acids. Do not mix with other chemicals unless listed on directions.

10.6 Hazardous decomposition products

Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Section 11: Toxicological information

11.1 Information on toxicological effects

Toxicological information	No toxicological information for the overall finished product.
Acute toxicity (Oral LD50)	No information available.
Acute toxicity (Dermal LD50)	No information available.
Acute toxicity (Inhalation LD50)	No information available.
Acute toxicity (initiation 1950)	
Serious eye damage/irritation	Causes severe eye damage.
Skin corrosion/irritation	No information available.
Respiratory sensitisation	No information available.
Skin sensitisation	No information available.
Germ cell mutagenicity	No information available.
0 0	
Carcinogenicity	No information available.
5	
Specific target organ toxicity - Sing	
STOT - Single exposure	No information available.
Specific target organ toxicity - Rep	eated exposure:
STOT - Repeated exposure	No information available.
Inhalation	Inhalation of mist or vapor may cause respiratory tract irritation.
Ingestion	May cause chemical burns in mouth and throat. May cause severe internal injury.
Skin contact	Corrosive. Cause severe skin burns.
Eve contact	Extreme irritation of eyes and mucous membranes, including burning and tearing. Causes
5	severe eye damage.
Waste management	When handling waste, consideration should be made to the safety precautions applying to
	handling of the product.
	nandning of the product.
Routes of entry	No information available.
Target organs	Eyes, skin, digestive system, respiratory system.
Aspiration hazards:	No information available.
Reproductive toxicity:	No information available.

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - Fish	No information available.
Acute toxicity - Aquatic invertebrate	
Acute toxicity - Aquatic invertebrate	
Acute toxicity - Aquatic plants	No information available.
Acute toxicity - Microorganisms	No information available.
Chronic toxicity - Fish	No information available.
Chronic toxicity - Aquatic	No information available.
invertebrates	
Chronic toxicity - Aquatic plants	No information available.
Chronic toxicity - Microorganisms	No information available.
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude
	the possibility that large or frequent spills can have a harmful or damaging effect on the
	environment.
Eco toxilogical information	The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic
	organisms.

12.2 Persistence and degradability		
Degradability Biological oxygen demand Chemical oxygen demand	The degradability of the product has not been stated. No information available. No information available.	
12.3 Bioaccumulative potential		
Bioaccumulative potential Bioacculmation factor Partition coefficient; n- Octanol/Water	No data available on bioaccumulation. No information available. No information available.	
<u>12.4 Mobility in soil</u>		
Mobility	Soluble in water.	
12.5 Results of PBT and vPvB assessme	ent	
Results of PBT and vPvB assessmen	Results of PBT and vPvB assessment None of the raw materials listed are classified as PBT / vPvB substances.	
12.6 Other adverse effects		
Other adverse effects	No information available.	
Section 13: Disposal considerations		
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.	
13.1 Waste treatment methods		
Disposal methods	Dispose of waste and residues in accordance with local authority requirements. For waste disposal, use a licensed industrial waste disposal agent.	
Section 14: Transport information		
<u>14.1 UN number</u>		
UN no. (ADR) UN no. (IMDG) UN no. (IATA)	UN1760 UN1760 UN1760	
14.2 UN proper shipping name		
ADR proper shipping name IMDG proper shipping name IATA proper shipping name	CORROSIVE LIQUID, N.O.S. (Alcohols, C13-15, branched and linear, ethoxylated) CORROSIVE LIQUID, N.O.S. (Alcohols, C13-15, branched and linear, ethoxylated) CORROSIVE LIQUID N.O.S. (Alcohols, C13-15, branched and linear, ethoxylated)	
14.3 Transport hazard class(es)		
ADR class IMDG class IATA class	8 8 8	
Transport labels		
14.4 Packing group		
ADR/RID/ADN packing group IMDG packing group	III III	

14.5 Environmental hazards

ADR IMDG	No No
IATA	No
14.6 Special precautions for user	

F-A, S-B
A3
80
(E)

14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

EU legislation	December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th
	May 2010 amending regulation (EC) No 1907/2006.
Approved code of practice	Workplace Exposure Limits Guidance Note EH40/2005.
	2016 Code of Practice for the Chemical Agents Regulations in accordance with section 60 of the Safety, Health and Welfare at Work Act 2005 (No. 10 of 2005).
Chemical safety assessment	No chemical safety assessment has been carried out.

Section 16: Other information

General information	This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.
Revision comments	This is a first issue.
Revision date	24 July 2017
Revision	1
Safety data sheet status	Approved.

Hazard statements in full

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H314	Causes severe skin burns and eye damage.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.