Product BACTI VIR

Revision date 07 July 2017

Revision 1



Safety Data Sheet (SDS)

Section 1: Identification of the substance/preparation and of the company/undertaking

1.1 Product identifier

Product name BACTI VIR
Product no. 109

Synonyms, Trade names No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent

Uses advised againstNo uses advised against are identified.

1.3 Details of the supplier of the safety data sheet

Supplier Kitchenmaster NI Ltd

11 Comber Road

Belfast BT8 8AN United Kingdom

Tel: 028 9081477 02890812881 sales@kitchenmaster-ni.com

1.4 Emergency telephone number

Contact person

Emergency telephone Emergency Telephone Number: 028 9081 4777 08:30 - 17:00 Monday to Thursday 08:30 -

16:30 Friday

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Not classified

Human health Skin Corr. 1C - H314, Eye Dam. 1 - H318

Environment Aquatic Chronic 3 - H412

2.2 Label elements

Contains Alcohols, C12-15, ethoxylated

Benzyl-C12-14-alkyldimethylammonium chlorides

Label in accordance with (EC) no.

1272/2008



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements Prevention

P260 Do not breathe dust/fume/ gas/mist/vapours/spray.

P280 Wear protective gloves/ protective clothing/eye protection/face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

2.3 Other hazards

None known.

Section 3: Composition/identification of ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Reg. EU 1272/2008	%
I()_methevymethylethevy)nrenanel	CAS-No.: 34590-94-8 EC No.: 252-104-2		1-10%
ledetic acid(HIIIIA)	EC No.: 200-449-4	Eye Irrit.2A - H319	1-10%
Alcohols, C12-15, ethoxylated	CAS-No.: 68131-39-5 EC No.: 500-195-7	Eye Dam. 1 - H318, Aquatic Acute 1 - H400, Aquatic Chronic 3 - H412	0.1-0.9%
Benzyl-C12-14-alkyldimethylammonium chlorides		H318, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	0.1-0.9%
lathanal athul alcahal	CAS-No.: 64-17-5 EC No.: 200-578-6	Flam. Liq 2- H225	0.001-0.009%

The full text for all hazard statements are displayed in section 16.

Composition comments

The data shown are in accordance with the latest EC Directives.

Section 4: First aid measures

4.1 Description of first aid measures

General information Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if

symptoms persist, always call a doctor. Seek medical attention for all burns and eye injuries, regardless how minor they may seem. First aid personnel must be aware of own risk during

rescue.

Inhalation Remove person to fresh air and keep comfortable for breathing. If not breathing, give

artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.

Ingestion If this product is ingested, remove victim immediately from source of exposure. Rinse mouth

thoroughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get medical

attention. Never give anything by mouth to an unconscious person.

Skin contact Remove victim immediately from source of exposure. Remove contaminated clothing, shoes

and jewelry and wash before reuse. Wash the skin immediately with water. Obtain medical $\,$

attention if irritation persists or if blistering occurs.

Eye contact Do not rub eye. If this product contacts the eyes, gently flush eyes with water for at least

fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove contact lenses if present and easy to do so. Avoid contaminating unaffected eye. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Inhalation of mist or vapor may cause respiratory tract irritation.

Ingestion May cause stomach pain or vomiting. May cause chemical burns in mouth and throat.

Skin contact May cause serious chemical burns to the skin.

Eye contact Extreme irritation of eyes and mucous membranes, including burning and tearing. Causes

serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Notes to the physician

Section 5: Fire-fighting measures

5.1 Extinguishing media

Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media None noted.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products When heated, toxic and corrosive vapours/gases may be formed. During fire, toxic gases (CO,

CO2) are formed.

Unusual fire & explosion hazards

Specific hazards

No unusual fire or explosion hazards noted.

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). Do not allow run-off from fire

fighting to enter drains or water courses.

5.3 Advice for firefighters

Special fire fighting procedures If possible, fight fire from protected position. Avoid breathing fire vapours. Ventilate closed

spaces before entering them. Containers close to fire should be removed immediately or

cooled with water if safe to do so.

Protective equipment for firefighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for firefighters (including helmets, protective boots and gloves) conforming to European standard

EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Provide

adequate ventilation. Eliminate all sources of ignition. Avoid inhalation of vapours and contact with skin and eyes. In case of inadequate ventilation, use respiratory protection. Do not touch or walk through spilled material. If necessary evacuate surrounding areas.

For emergency responders

Follow safe handling advice and personal protective equipment recommendations for normal use of product.

6.2 Environmental precautions

Environmental precautions Do not discharge onto the ground or into water courses. Spillages or uncontrolled discharges

into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other

appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Spill clean up methods Stop leak if possible without risk. Eliminate all sources of ignition. Ventilate and evacuate

the area. DO NOT touch spilled material! When dealing with a spillage, wear necessary protective equipment. Absorb spillage with non-combustible, inert absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with

a spillage.

6.4 Reference to other sections

Reference to other sections See section 1 for emergency contact. For personal protection, see section 8. For waste

disposal, see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handling Read and follow manufacturer's recommendations. Use proper personal protection when

handling (refer to Section 8). Do not handle broken packages without protective equipment.

Do not use contact lenses.

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Do not eat, drink or smoke when using the product. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Keep upright, locked up and out of reach of children. Keep the product in its original

container. Store in cool dry areas away from direct sunlight or sources of ignition.

Storage class Corrosive storage.

7.3 Specific end use(s)

Specific end use(s)The identified uses for this product are detailed in Section 1.2.Usage descriptionUse only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection

8.1 Control parameters

Component	STD	TWA (8 Hrs)		STEL (15mins)		Notes
(2-methoxymethylethoxy)propanol	OEL	50 ppm	308 mg/m ³			
(2-methoxymethylethoxy)propanol	WEL	50 ppm	308 mg/m ³			
ethanol ethyl alcohol	OEL			1000 ppm		
ethanol ethyl alcohol	WEL	1000 ppm	1920 mg/m ³			

Ingredient comments WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits.

OEL - Occulational Exposure Limit - Ireland, Occupational Exposure Limits 2016.

8.2 Exposure Controls

Protective equipment



Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory equipment

If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/145/143/149. The specific respirator selected must be based on contamination levels found in the work place. Where risk assessment shows air-purifying respirators are appropriate a full face respirator conforming to EN143 should be used, and suitable respirator cartridges as a backup to engineering controls. Recommended: Respirator with combination filter for vapour/particulate (EN 141). Consult manufacturer for specific advice. Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Gloves must be

inspected prior to use. Suggested material: Butyl-rubber. Breakthrough time: >480 minutes. Minimum layer thickness: 0.33 mm. Consult manufacturer for advice.

Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Eye protection

Hand protection

Wear safety goggles or face shield to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).

Other protection

Wear appropriate clothing to prevent skin contact. The selected clothing must satisfy the European norm standard EN 943. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handing this product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed.

Hygiene measures

Observe normal hygiene standards. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke. Wash hands after use.

Process conditions

Ensure that eye flushing systems and safety showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

AppearanceLiquid.ColourPurple.

Odour No information available.

Odour threshold - lower No information available.

Odour threshold - upperNo information available.

pH-Value, Conc. Solution 13.00

pH-Value, Diluted solution No information available.

Melting point No information available.

Initial boiling point and boiling

range

No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability state No information available.

Flammability limit - lower(%) No information available.

Flammability limit - upper(%) No information available.

Vapour pressure No information available.

Vapour density (air=1) No information available.

Relative density 1.015g/cm³ @ 20.00 °C

Bulk density No information available.

Soluble in water.

 $\begin{tabular}{ll} \textbf{Decomposition temperature} & No information available. \end{tabular}$

Partition coefficient; n-

Octanol/Water

No information available.

 $\begin{tabular}{lll} \textbf{Auto ignition temperature (°C)} & No information available. \end{tabular}$

Viscosity No information available.

Explosive properties Not classified as explosive.

Oxidising properties No information available.

9.2 Other information

Molecular weight
No information available.

Volatile organic compound
No information available.

Other information None noted.

Section 10: Stability and reactivity

10.1 Reactivity

Reactivity Reactions may occur with strong oxidizing materials and strong acids.

10.2 Chemical stability

Stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

Hazardous reactions Avoid strong oxidizers. Reacts with acids.

Hazardous polymerisation Polymerisation descriptionWill not polymerise.
Not applicable.

10.4 Conditions to Avoid

Conditions to avoid Heat, sparks, open flames, temperature extremes and direct sunlight. Avoid storing in large

quantities or for long periods of time.

10.5 Incompatible materials

Materials to avoid Do not mix with other chemicals unless listed on directions. Avoid strong oxidising agents,

bases, strong acids. Avoid contact with Aluminium, Zinc, Lead, Tin and alloys of these metals

10.6 Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours.

Section 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (Inhalation LD50)

Toxicological information No toxicological information for the overall finished product.

Acute toxicity (Oral LD50) Alcohols, C12 -15, ethoxylated (CAS 68131-39-5): > 5000 mg/kg, Rat. REACH dossier

information. BENZALKONIUM CHLORIDE (CAS 68391-01-5): 150 mg/kg, Mouse. Alcohols, C12 -15, ethoxylated (CAS 68131-39-5): > 2000 mg/kg, Rat. REACH dossier

Acute toxicity (Dermal LD50) Alcohols, C12 -15, ethoxylated (CAS 68131-39-5): > 2000 mg/kg, Rat. REACH doss information. BENZALKONIUM CHLORIDE (CAS 68391-01-5): 1420 mg/kg, Rat.

Alcohols, C12 -15, ethoxylated (CAS 68131-39-5): > 1.6 mg/l, (dust/mist) Rat - 4 hours.

REACH dossier information.

Serious eye damage/irritation Corrosive. Causes severe eye damage.

Skin corrosion/irritationNo information available.

Respiratory sensitisationNo information available.Skin sensitisationNo information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Specific target organ toxicity - Single exposure:

STOT - Single exposure No information available.

Specific target organ toxicity - Repeated exposure:

STOT - Repeated exposure No information available.

Inhalation Inhalation of mist or vapor may cause respiratory tract irritation.

Ingestion May cause stomach pain or vomiting. May cause chemical burns in mouth and throat.

Skin contact May cause serious chemical burns to the skin.

Eye contact Extreme irritation of eyes and mucous membranes, including burning and tearing. Causes

serious eye damage.

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

Routes of entry No information available.

Target organs Eyes, skin, digestive system, respiratory system.

Aspiration hazards: No information available. Reproductive toxicity: No information available.

Name	LD50 oral		LD50 inhalation
sodium 3,3'-(9,10-dioxoanthracene-1,4-diyldiimino)bis(2,4,6-trimethylbenzenesulphonate)	>5000.00mg/kg Rat		
disodium metasilicate	600.00mg/kg Rat		
Benzyl-C12-14-alkyldimethylammonium chlorides		3412.00mg/kg Rabbit	

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - Fish Alcohols, C12 -15, ethoxylated (CAS 68131-39-5) LC50: (96 hours) 0.59 mg/l, Pleuronectes

platessa. REACH dossier information. BENZALKONIUM CHLORIDE (CAS 68391-01-5): LC50

96 hours 0.31 mg/l Lepomis macrochirus (Bluegill.)

Acute toxicity - Aquatic invertebrates Alcohols, C12 -15, ethoxylated (CAS 68131-39-5) EC50: (48 hours) 0.14 mg/l, Daphnia

magna. REACH dossier information.

Acute toxicity - Aquatic plants Alcohols, C12 -15, ethoxylated (CAS 68131-39-5) EC50: (72 hours) 0.75 mg/l, Selenastrum

capricornutum. REACH dossier information.

Acute toxicity - Microorganisms
Chronic toxicity - Fish
Chronic toxicity - Aquatic

No information available.
No information available.

invertebrates

Chronic toxicity - Aquatic plants Chronic toxicity - MicroorganismsNo information available.
No information available.

Ecotoxicity The product contains a substance which is harmful to aquatic life with long lasting effects.

Eco toxilogical information The product contains a substance which is harmful to aquatic organisms.

12.2 Persistence and degradability

Degradability The degradability of the product has not been stated.

Biological oxygen demandNo information available.
Chemical oxygen demand
No information available.

12.3 Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Bioacculmation factor No information available.
Partition coefficient; nOctanol/Water No information available.

12.4 Mobility in soil

Mobility The product is soluble in water.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

12.6 Other adverse effects

Other adverse effects None known.

Name	(Fish)	Acute toxicity	Acute toxicity (Aquatic plants)
sodium 3,3'-(9,10-dioxoanthracene-1,4-diyldiimino)bis(2-4,6-trimethylbenzenesulphonate)	LC50 75.00mg/l Onchorhynchus mykiss (Rainbow Trout)		

Section 13: Disposal considerations

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

13.1 Waste treatment methods

Disposal methods Dispose of waste and residues in accordance with local authority requirements. For waste

disposal, use a licensed industrial waste disposal agent.

Section 14: Transport information

14.1 UN number

 UN no. (ADR)
 UN1760

 UN no. (IMDG)
 UN1760

 UN no. (IATA)
 UN1760

14.2 UN proper shipping name

ADR proper shipping name CORROSIVE LIQUID, N.O.S. (disodium metasilicate + Benzyl-C12--

4-alkyldimethylammonium chlorides)

IMDG proper shipping name CORROSIVE LIQUID, N.O.S. (disodium metasilicate + Benzyl-C12--

4-alkyldimethylammonium chlorides)

IATA proper shipping name CORROSIVE LIQUID N.O.S. (disodium metasilicate + Benzyl-C12--

4-alkyldimethylammonium chlorides)

14.3 Transport hazard class(es)

ADR class 8
IMDG class 8
IATA class 8

Transport labels



14.4 Packing group

ADR/RID/ADN packing group III
IMDG packing group III
IATA packing group III

14.5 Environmental hazards

 ADR
 No

 IMDG
 No

 IATA
 No

14.6 Special precautions for user

EMS F-A, S-B
Emergency action code A3
Hazard no. (ADR) 80
Tunnel restriction code (E)

14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th

May 2010 amending regulation (EC) No 1907/2006.

Approved code of practice Workplace Exposure Limits Guidance Note EH40/2005.

2016 Code of Practice for the Chemical Agents Regulations in accordance with section 60 of the Safety, Health and Welfare at Work Act 2005 (No. 10 of 2005).

Chemical safety assessment

No chemical safety assessment has been carried out.

Section 16: Other information

General information This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.

Revision commentsThis is a first issue. **Revision date**07 July 2017

Revision 1

Safety data sheet status Approved.

Hazard statements in full

H319 Causes serious eye irritation. H302 Harmful if swallowed. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects. H272 May intensify fire; oxidiser. Highly flammable liquid and vapour. H225 H301 Toxic if swallowed. H311 Toxic in contact with skin. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.