**Product** Oven Cleaner **Revision date** 06 July 2017

Revision



# Safety Data Sheet (SDS)

## Section 1: Identification of the substance/preparation and of the company/undertaking

#### 1.1 Product identifier

**Oven Cleaner Product name** 

Product no. 100

Synonyms, Trade names No information available.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Cleaning agent.

Uses advised against No uses advised against are identified.

## 1.3 Details of the supplier of the safety data sheet

**Supplier** Kitchenmaster NI Ltd

11 Comber Road

Belfast BT8 8AN United Kingdom

Tel: 028 9081477 02890812881

**Contact person** sales@kitchenmaster-ni.com

1.4 Emergency telephone number

**Emergency telephone** Emergency Telephone Number: 028 9081 4777 08:30 - 17:00 Monday to Thursday 08:30 -

16:30 Friday

## **Section 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Me. Corr 1 - H290

Human health Skin Corr. 1A - H314, Eye Dam. 1 - H318

Environment Not classified

# 2.2 Label elements

**Contains** potassium hydroxide

formaldehyde ... %

Label in accordance with (EC) no. 1272/2008



Signal word Danger

**Hazard statements** H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

**Precautionary statements Prevention** 

P234 Keep only in original container.

P280 Wear protective gloves/ protective clothing/eye protection/face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

#### 2.3 Other hazards

None known.

## Section 3: Composition/identification of ingredients

#### 3.1 Substance

Not applicable.

#### 3.2 Mixtures

Name	Product identifier	Reg. EU 1272/2008	%
potassium hydroxide	CAS-No.: 1310-58-3 EC No.: 215-181-3 REACH Reg No.: 01-2119487136-33-0000	Acute Tox 4 - H302, Skin Corr. 1A - H314, Me. Corr 1 - H290	1-10%
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	CAS-No.: 68585-34-2 EC No.: 500-223-8	Skin Irrit.2 - H315, Eye Irrit.2A - H319	1-10%
Itormaldehyde %	CAS-No.: 50-00-0 FC No.: 200-001-8	Acute Tox 3 - H301, Acute Tox 2 - H310, Skin Corr. 1B - H314, Skin. Sens 1 - H317, Acute Tox 3 - H331, Muta. 2- H341, Carc. 1B - H350	0.001-0.009%

The full text for all hazard statements are displayed in section 16.

**Composition comments** The data shown are in accordance with the latest EC Directives. Formaldehye is used in the

raw material manufacturing process.

# **Section 4: First aid measures**

Eye contact

# 4.1 Description of first aid measures

**General information** As a general rule, in case of doubt or if symptoms persist, always call a doctor. Seek medical

attention for all burns and eye injuries, regardless how minor they may seem. First aid personnel must be aware of own risk during rescue. Provide general first aid, rest, warmth

and fresh air.

**Inhalation** Move the exposed person to fresh air at once. If breathing is difficult, oxygen should be

administered by qualified personnel. If not breathing, give artificial respiration. Get prompt

medical attention.

**Ingestion** Get medical attention immediately. Do not induce vomiting. Provided the patient is fully

conscious, rinse mouth with water and give plenty of water to drink. Never give anything by mouth to an unconscious person. Artificial respiration and/or oxygen may be necessary.

**Skin contact**Take off contaminated clothing and shoes immediately. Promptly flush contaminated skin

with water. Continue to rinse for at least 15 minutes. Seek medical attention immediately. SPEED IS ESSENTIAL. Avoid contaminating unaffected eye. Wash thoroughly with soft,

clean water for 15 minutes holding the eyelids open. Remove contact lenses if present and

easy to do so. Get medical attention immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependant of the concentration and the

length of exposure.

**Inhalation** Irritating to respiratory system.

**Ingestion** May cause chemical burns in mouth and throat. May cause severe internal injury.

**Skin contact** Corrosive. Causes severe skin burns.

Eye contact May cause irreversible eye damage. Symptoms may include redness, lachrymation, swelling

of tissue, burns.

## 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to the physician** Treat symptomatically.

### **Section 5: Fire-fighting measures**

### 5.1 Extinguishing media

**Extinguishing media**Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment. Water spray. Water fog. Foam. Dry powder. Carbon dioxide. Dry chemical.

**Unsuitable extinguishing media** No unsuitable extinguishing media identified.

## 5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products** Thermal decomposition or combustion may liberate carbon oxides and other toxic or

irritating gases or vapours.

Unusual fire & explosion hazards In contact with metals generates hydrogen gas, which together with air can form explosive

mixtures.

Specific hazards During fire, gases hazardous to health may be formed. In the event of damage to packaging,

floors may become slippery, avoid falls. Water used for fire extinguishing, which has been in

contact with the product, may be corrosive.

## **5.3 Advice for firefighters**

**Special fire fighting procedures** If possible, fight fire from protected position. Ventilate closed spaces before entering them.

Keep up-wind to avoid fumes. Containers close to fire should be removed immediately or

cooled with water. Do not release runoff from fire to drains or water courses.  $\,$ 

**Protective equipment for firefighters** Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard

EN 469 will provide a basic level of protection for chemical incidents.

## Section 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Do not mix with other chemicals. Wear protective clothing as described in Section 8 of this

safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation. In case of inadequate ventilation, use respiratory protection. Eliminate

all sources of ignition.

For emergency responders Follow safe handling advice and personal protective equipment recommendations for normal

use of product.

## **6.2 Environmental precautions**

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground. Spillages or uncontrolled

discharges into watercourses must be IMMEDIATELY alerted to the Environmental

Protection Agency or local authority.

## 6.3 Methods and material for containment and cleaning up

**Spill clean up methods**Ventilate and evacuate the area. Eliminate all ignition sources. Wear necessary protective

equipment DO NOT touch spilled material! Stop leak if possible without risk. Use non-metallic tools/containers for clean up. In case of spills, beware of slippery floors and

surfaces.

Absorb spillage with inert, damp, non-combustible material or use a liquid binding material. Place waste material into suitable labelled sealed containers for disposal. Remove waste

promptly to a safe area. Flush with plenty of water to clean spillage area.

# **6.4 Reference to other sections**

**Reference to other sections** See section 1 for emergency contact. For personal protection, see section 8. For waste

disposal, see section 13.

## **Section 7: Handling and storage**

## 7.1 Precautions for safe handling

Handling Read and follow manufacturer's recommendations. Use personal protective equipment, see

Section 8. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment. Ensure adequate ventilation. If necessary, use local exhaust

ventilation.

Do not use contact lenses. Use only equipment and materials which are compatible with the product. Always wash hands after handling.

# 7.2 Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep locked up and out of reach of children. Store in tightly closed original container in a

cool, dry and well-ventilated place. Avoid contact with metals.

Storage class Corrosive storage

7.3 Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**Usage description** Use only according to directions.

## **Section 8: Exposure controls/Personal protection**


#### **8.1 Control parameters**

Component	STD	TWA (	8 Hrs)	STEL (1	l5mins)	Notes
potassium hydroxide	OEL				2 mg/m <sup>3</sup>	
potassium hydroxide	WEL				2 mg/m <sup>3</sup>	
formaldehyde %	OEL	0.2 ppm		0.4 ppm		
formaldehyde %	WEL	2 ppm	2,5 mg/m <sup>3</sup>	2 ppm	2,5 mg/m <sup>3</sup>	

Ingredient comments WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits.

OEL - Occulational Exposure Limit - Ireland, Occupational Exposure Limits 2016.

### **8.2 Exposure Controls**





**Engineering measures** Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

**Respiratory equipment** When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators. Use respirators and components tested and approved under

appropriate government standards such as CEN (EU). If the respirator is the sole means of  $\frac{1}{2}$ 

protection, use a full-face supplied air respirator.

Self-contained breathing apparatus (EN 133). Respirator with a vapour filter (EN 141). ABEK (EN 14387). Use respiratory protection as specified by an industrial hygienist or other

qualified professional.

**Hand protection** Where hand contact with the product may occur the use of gloves approved to relevant

standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Gloves must be inspected prior to

use.

Suggested material: Butyl-rubber. Neoprene. Minimum layer thickness: 0.11 mm. Break through time: 480 min. Gloves must be inspected prior to use. Consult manufacturer for specific advice on material. Use proper glove removal technique (without touching glove's

outer surface) to avoid skin contact with this product.

**Eye protection**Wear safety goggles or face shield to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as EN

166(EU).

**Other protection** Wear appropriate clothing to prevent any possibility of skin contact. The selected clothing

must satisfy the European norm standard EN 943. Protective clothing should be selected based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

**Hygiene measures** DO NOT SMOKE IN WORK AREA! Wash hands after handling. Wash promptly if skin

becomes wet or contaminated. Promptly remove any clothing that becomes contaminated.

When using do not eat, drink or smoke.

Process conditions Keep container tightly sealed when not in use. Ensure that eye flushing systems and safety

showers are located close by in the work place.

## Section 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

AppearanceLiquid.ColourColourless.

Odour No information available.

Odour threshold - lower No information available.

**Odour threshold - upper** No information available.

pH-Value, Conc. Solution >13.5.

**pH-Value, Diluted solution** No information available.

**Melting point** No information available.

Initial boiling point and boiling

range

No information available.

**Flash point** No information available.

**Evaporation rate** No information available.

Flammability state No information available.

**Flammability limit - lower(%)** No information available.

**Flammability limit - upper(%)** No information available.

Vapour pressure No information available.

Vapour density (air=1) No information available.

**Relative density** 1.050g/cm<sup>3</sup> @ 20.00 °C

**Bulk density** No information available.

**Solubility** Soluble in water.

**Decomposition temperature** No information available.

Partition coefficient; n-

Octanol/Water

No information available.

**Auto ignition temperature (°C)** No information available.

**Viscosity** No information available.

**Explosive properties** Not classified as explosive.

Oxidising properties No information available.

9.2 Other information

Molecular weight No information available.

Volatile organic compound No information available.

**Other information** None noted.

# **Section 10: Stability and reactivity**

# 10.1 Reactivity

**Reactivity** Corrosive to metals. Reaction with acids.

### 10.2 Chemical stability

Stability Stable under normal temperature conditions and recommended use.

## 10.3 Possibility of hazardous reactions

**Hazardous reactions** Reacts with acids. Attacks metals liberating flammable hydrogen gas.

Hazardous polymerisationUnknown.Polymerisation descriptionNot applicable.

10.4 Conditions to Avoid

Conditions to avoid Heat, sparks, open flames, temperature extremes and direct sunlight. Avoid freezing.

10.5 Incompatible materials

Materials to avoid Metals, Salts of metals, Acids, Organic materials.

### 10.6 Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours.

### **Section 11: Toxicological information**

#### 11.1 Information on toxicological effects

**Toxicological information** No toxicological information for the overall finished product.

Acute toxicity (Oral LD50) FORMALDEHYDE (CAS: 50-00-0): 800 mg/kg bw Rat. REACH dossier information.

POTASSIUM HYDROXIDE (CAS: 1310-58-3): 333 mg/kg Rat. REACH dossier information.

Acute toxicity (Dermal LD50) No information available.

Acute toxicity (Inhalation LD50) FORMALDEHYDE (CAS: 50-00-0): RD50 of 38 mg/m³ Rat. REACH dossier information.

**Serious eye damage/irritation** Severe to Corrosive.

**Skin corrosion/irritation** The product is classified as a skin corrosion/irritation hazard.

Respiratory sensitisationNo information available.Skin sensitisationNo information available.Germ cell mutagenicityNo information available.

**Carcinogenicity** No information available.

Specific target organ toxicity - Single exposure:

**STOT - Single exposure** No information available.

Specific target organ toxicity - Repeated exposure:

 ${\bf STOT \cdot Repeated \ exposure} \qquad \qquad {\bf No \ information \ available}.$ 

**Inhalation** Irritating to respiratory system.

**Ingestion** May cause chemical burns in mouth and throat. May cause severe internal injury.

**Skin contact** Corrosive. Causes severe skin burns.

Eye contact May cause irreversible eye damage. Symptoms may include redness, lachrymation, swelling

of tissue, burns.

Waste management Dispose of in accordance with local and national regulations. When handling waste,

consideration should be made to the safety precautions applying to handling of the product.

**Routes of entry** No information available.

**Target organs** Eyes, skin, digestive system, respiratory system.

Aspiration hazards: No information available. Reproductive toxicity: No information available.

Name	LD50 oral	LD50 dermal	LD50 inhalation
sodium chloride	3350.00mg/kg Rat	>10000.00mg/kg Rabbit	>42.00mg/l (vapours) Rat 1 Hours

## **Section 12: Ecological information**

## 12.1 Toxicity

Acute toxicity - Fish FORMALDEHYDE (CAS: 50-00-0) LC50: 6.7 mg/L, Morone saxatilis (striped bass), 96 hours.

REACH dossier information.

Acute toxicity - Aquatic invertebrates FORMALDEHYDE (CAS: 50-00-0): 1.9 mg/L Daphnia pulex, 48 hours. REACH dossier

information.

Acute toxicity - Aquatic plants FORMALDEHYDE (CAS: 50-00-0) EC50: 03.48 mg/L, Desmodesmus subspicatus (reported as

Scenedesmus subspicatus), 72 hours. REACH dossier information.

**Acute toxicity - Microorganisms** 

Chronic toxicity - Fish Chronic toxicity - Aquatic No information available. No information available. No information available.

invertebrates

Chronic toxicity - Aquatic plants Chronic toxicity - Microorganisms

No information available. No information available.

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the  $\dot{}$ 

environment.

The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic

organisms.

**Eco toxilogical information** No ecological toxicity available on the overall finished product.

### 12.2 Persistence and degradability

**Degradability** The degradability of the product has not been stated.

**Biological oxygen demand**No information available. **Chemical oxygen demand**No information available.

## 12.3 Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Bioacculmation factor No information available.

Bioacculmation factor Partition coefficient; n-

No information available.

Octanol/Water

### 12.4 Mobility in soil

**Mobility** Soluble in water.

## 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

## 12.6 Other adverse effects

Other adverse effects None known.

		Acute toxicity (Aquatic invertebrates)	Acute toxicity (Aquatic plants)
sodium chloride	LC50 96 Hours 5840.00mg/l Lepomis macrochirus (Bluegill)	LC50 48 Hours 4136.00mg/l Daphnia magna	

# **Section 13: Disposal considerations**

Waste management Dispose of in accordance with local and national regulations. When handling waste,

consideration should be made to the safety precautions applying to handling of the product.

## 13.1 Waste treatment methods

**Disposal methods** Dispose in a safe manner in accordance with local/national regulations. For waste disposal,

use a licensed industrial waste disposal agent.

## **Section 14: Transport information**

#### 14.1 UN number

 UN no. (ADR)
 UN1903

 UN no. (IMDG)
 UN1903

 UN no. (IATA)
 UN1903

#### 14.2 UN proper shipping name

ADR proper shipping name DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (potassium hydroxide + Amides, coco, N-[-

-(dimethylamino)propyl])

IMDG proper shipping name DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (potassium hydroxide + Amides, coco, N-[-

-(dimethylamino)propyl])

IATA proper shipping name DISINFECTANT, LIQUID, CORROSIVE N.O.S. (potassium hydroxide + Amides, coco, N-[-

-(dimethylamino)propyl])

## 14.3 Transport hazard class(es)

ADR class 8
IMDG class 8
IATA class 8

**Transport labels** 



#### 14.4 Packing group

ADR/RID/ADN packing group II
IMDG packing group II
IATA packing group II

# 14.5 Environmental hazards

ADR No IMDG No IATA No

## 14.6 Special precautions for user

EMS F-A, S-B
Emergency action code A3
Hazard no. (ADR) 80
Tunnel restriction code (E)

## 14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

## **Section 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th

May 2010 amending regulation (EC) No 1907/2006.

**Approved code of practice** Workplace Exposure Limits Guidance Note EH40/2005.

2016 Code of Practice for the Chemical Agents Regulations in accordance with section 60 of

the Safety, Health and Welfare at Work Act 2005 (No. 10 of 2005).

**Chemical safety assessment** No chemical safety assessment has been carried out.

## **Section 16: Other information**

**General information** This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010

**Revision comments** This is first issue **Revision date** 06 July 2017

Revision

Safety data sheet status Approved.

## **Hazard statements in full**

H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H319 Causes serious eye irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H301 Toxic if swallowed. H311 Toxic in contact with skin. H317 May cause an allergic skin reaction. H331 Toxic if inhaled.

H341 Suspected of causing genetic defects .

H350 May cause cancer.

#### **Disclaimer**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.