Product Deep Clean HD Degreaser Sanitizer

Revision date 15 June 2022

Revision 1



Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Deep Clean HD Degreaser Sanitizer

Product no. HSC605DEEP

Other means of identification No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning and Disinfecting Agent (Professional Use Only).

Uses advised against Any other purpose.

1.3 Details of the supplier of the safety data sheet

Supplier Kitchenmaster NI Ltd

11 Comber Road

Belfast BT8 8AN United Kingdom

Tel: 028 9081477 02890812881

Contact person sales@kitchenmaster-ni.com

1.4 Emergency telephone number

Emergency telephone Emergency Telephone Number: 028 9081 4777 08:30 – 17:00 Monday to Thursday 08:30 –

16:30 Friday

UFI Code: PRQV-AOKO-ROOH-JYUU

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Me. Corr 1 - H290 Human health Skin Corr. 1B - H314

Environment Aquatic Acute 1 - H400, Aquatic Chronic 2 - H411

2.2 Label elements

Contains Disodium metasilicate pentahydrate

 $Benzyl\hbox{-}C12\hbox{-}14\hbox{-}alkyl dimethyl ammonium chlorides}$

sodium hydroxide potassium hydroxide

Detergent labeling <5% amphoteric surfactants

<5% non-ionic surfactants <5% phosphonates

Label in accordance with (EC) no.

1272/2008





Signal word Danger

Hazard statements H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

 $H411\ Toxic$ to a quatic life with long lasting effects.

Precautionary statements

Prevention

P260 Do not breathe dust/fume/ gas/mist/vapours/spray.

 $P280\ Wear\ protective\ gloves/\ protective\ clothing/eye\ protection/face\ protection.$

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

 $P303 + P361 + P353 \ IF \ ON \ SKIN \ (or hair): Remove/Take \ of fimmediately \ all \ contaminated \ clothing. Rinse \ skin \ with \ water/shower.$

 $P305 + P351 + P338 \ IF \ IN \ EYES: Rinse \ cautiously \ with \ water \ for \ several \ minutes. \ Remove$

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician.

2.3 Other hazards

None known.

Section 3: Composition/information on ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Regulation (EC) No 1272/2008	%
Disodium metasilicate pentahydrate	CAS-No.: 10213-79-3 EC No.: 229-912-9 REACH Reg No.: 01-2119449811-37-XXXX	Me. Corr 1 - H290, Me. Corr 1 - H290, Skin Corr. 1B - H314, STOT SE 3 - H335	1-5%
Alcohols, C12-13, branched and linear, ethoxylated	CAS-No.: 160901-19-9 EC No.: 931-954-4	Acute Tox 4 - H302, Eye Dam. 1 - H318, Aquatic Chronic 3 - H412	1-5%
Benzyl-C12-14-alkyldimethylammonium chlorides	CAS-No.: 85409-22-9 EC No.: 939-350-2 REACH Reg No.: 01-2119970550-39-0000	Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410, Acute Tox 4 - H302, Skin Corr. 1B - H314, Eye Dam. 1 - H318	1-5%
[nitrilotris(methylene)]trisphosphonic acid, sodium salt	CAS-No.: 20592-85-2 EC No.: 243-900-0	Skin Irrit.2 - H315, Eye Dam. 1 - H318	1-5%
Tetrasodium (1-hydroxyethylidene)bisphosphonate	CAS-No.: 3794-83-0 EC No.: 223-267-7	Skin Irrit.2 - H315, Eye Dam. 1 - H318	0.1-0.9%
[nitrilotris(methylene)]trisphosphonic acid, potassium salt	CAS-No.: 27794-93-0 EC No.: 248-660-0	Skin Irrit.2 - H315, Eye Dam. 1 - H318	0.1-0.9%
Heptasodium trihydrogen [[bis[2- [bis(phosphonatomethyl)amino]ethyl]amino]methyl]phosphonate	CAS-No.: 68155-78-2 EC No.: 268-990-9		0.1-0.9%
sodium hydroxide	CAS-No.: 1310-73-2 EC No.: 215-185-5	Skin Corr. 1A - H314	<0.1%
potassium hydroxide	CAS-No.: 1310-58-3 EC No.: 215-181-3	Acute Tox 4 - H302, Skin Corr. 1A - H314	<0.1%

The full text for all hazard statements are displayed in section 16.

Composition comments

The data shown are in accordance with the latest EC Directives.

Potassium hydroxide: Specific Concentration Limits = H315, Skin Irrit. 2 >= 0.5 - < 2; H319 Eye Irrit. 2 >= 0.5 - < 2; H314 Skin Corr. 1B >= 2 - < 5; H314 Skin Corr. 1A >= 5. Sodium Hydroxide: Specific Concentration Limits = Eye Irrit. 2; H319: 0.5% <= C < 2%, Skin Corr. 1A; H314: C >= 5%, Skin Corr. 1B; H314: 2% <= C < 5%, Skin Irrit. 2; H315: 0.5% <= C < 2%.

Benzyl-C12-14-alkyldimethylammonium chlorides: M-Factor acute=10, M-Factor chronic = 1.

Section 4: First aid measures

4.1 Description of first aid measures

General information

Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor. Seek medical attention for all burns and eye injuries,

regardless how minor they may seem. First aid personnel must be aware of own risk during

escue.

Inhalation Remove person to fresh air and keep comfortable for breathing. If not breathing, give

artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.

Ingestion If this product is ingested, remove victim immediately from source of exposure. Rinse mouth

thoroughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get medical

attention. Never give anything by mouth to an unconscious person.

Skin contact Remove victim immediately from source of exposure. Wash the skin immediately with water.

Remove contaminated clothing, shoes and jewelry and wash before reuse. Obtain medical

attention if irritation persists or if blistering occurs.

Eye contact Do not rub eye. If this product contacts the eyes, gently flush eyes with water for at least

fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove contact lenses if present and easy to do so. Avoid contaminating unaffected eye. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Inhalation of mist or vapor may cause respiratory tract irritation.

Ingestion May cause chemical burns in mouth and throat. May cause severe internal injury.

Skin contact Corrosive. Cause severe skin burns.

Eye contact Corrosive to eyes. Causes severe eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physician Treat symptomatically.

Section 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media High volume water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products When heated, toxic and corrosive vapours/gases may be formed. During fire, toxic gases (CO,

CO2) are formed.

Unusual fire & explosion hazards Water used for fire fighting may become corrosive in contact with the product. Flammable

hydrogen can form when the product contacts metals.

Specific hazards Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). Water used for fire extinguishing, which has been in contact with the product, may be corrosive.

5.3 Advice for firefighters

Special fire fighting procedures If possible, fight fire from protected position. Avoid breathing fire vapours. Ventilate closed

spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so. Do not release runoff from fire to drains or watercourses.

Protective equipment for firefighters Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard

 $\,$ EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Wear protective clothing as described in Section 8 of this safety data sheet. Provide

adequate ventilation. Eliminate all sources of ignition. Avoid inhalation of vapours and contact with skin and eyes. In case of inadequate ventilation, use respiratory protection. Do not touch or walk through spilled material. If necessary evacuate surrounding areas.

For emergency responders Follow safe handling advice and personal protective equipment recommendations for normal

use of product.

6.2 Environmental precautions

Environmental precautions Do not discharge onto the ground or into water courses. Spillages or uncontrolled discharges

into watercourses must be IMMEDIATELY alerted to the Environmental Protection Agency or local authority.

6.3 Methods and material for containment and cleaning up

Spill clean up methods Stop leak if possible without risk Eliminate all ignition sources. Ventilate and evacuate the

area. When dealing with a spillage, wear necessary protective equipment. DO NOT touch

spilled material! Cover drains.

Absorb spillage with non-combustible, inert absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in

a suitably labelled container. Wash thoroughly after dealing with a spillage.

6.4 Reference to other sections

Reference to other sections See section 1 for emergency contact. For personal protection, see section 8. For waste

disposal, see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handling Read and follow manufacturer's recommendations. Use proper personal protection when

handling (refer to Section 8). Do not handle broken packages without protective equipment. Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Do not

eat, drink or smoke when using the product. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Keep upright, locked up and out of reach of children. Keep the product in its original

container. Store in cool dry areas away from direct sunlight or sources of ignition. Keep

away from incompatible materials (see section 10).

Storage class Corrosive storage.

7.3 Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. **Usage description** Use only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection


8.1 Control parameters

Component	STD	TWA (8	Hrs)	STEL (1	15mins)	Notes
sodium hydroxide	OEL				2 mg/m ³	
sodium hydroxide	WEL				2 mg/m ³	
potassium hydroxide	OEL				2 mg/m ³	
potassium hydroxide	WEL				2 mg/m ³	

Ingredient comments Ireland, Occupational Exposure Limits 2021.

WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits.

8.2 Exposure Controls





Engineering measures Provide adequate ventilation, including appropriate local extraction, to ensure that the

defined occupational exposure limit is not exceeded.

Respiratory equipment Where risk assessment shows air-purifying respirators are appropriate a full face respirator conforming to EN143 should be used, and suitable respirator cartridges as a backup to engineering controls. If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/145/143/149. The specific respirator selected must be based on contamination levels found in the work place. Recommended: Respirator with combination filter for vapour/particulate (EN 141). Use type ABEK (EN 14387) respirator cartridges.

Consult manufacturer for specific advice.

Hand protection Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Gloves must be

standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Gloves must be inspected prior to use. Suggested material: Butyl-rubber. Breakthrough time: >480 minutes.

Minimum layer thickness: 0.7 mm. Consult manufacturer for advice.

Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and

good laboratory practices.

Eye protection Wear safety goggles or face shield to prevent any possibility of eye contact. Use equipment

for eye protection tested and approved under appropriate government standards such as $\ensuremath{\mathsf{EN}}$

166(EU).

Other protection Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before handing this $% \left(x\right) =\left(x\right) +\left(x\right)$

product. The selected clothing must satisfy the European norm standard EN 943.

Hygiene measures Observe normal hygiene standards. Wash promptly if skin becomes contaminated. When

using do not eat, drink or smoke. Wash hands after use.

Process conditions Ensure that eye flushing systems and safety showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Liquid.

Colour Clear. Colourless - Pale Straw.

Odour Characteristic.

Odour threshold - lower No information available as testing has not been completed.

Odour threshold - upper No information available as testing has not been completed.

pH-Value, Conc. Solution >13

pH-Value, Diluted solution Not applicable as the product is a concentrated solution.

Melting point No information available as testing has not been completed.

Initial boiling point and boiling

range

No information available as testing has not been completed.

Flash point Non-Flammable

Evaporation rate No information available as testing has not been completed.

Flammability state Not applicable as the product is not flammable.

Flammability limit - lower(%) Not applicable as the product is not flammable.

Flammability limit - upper(%) Not applicable as the product is not flammable.

Vapour pressure No information available as testing has not been completed.

Vapour density (air=1) No information available as testing has not been completed.

Relative density 1.02 - 1.04 kg/l (at 20°C)

Bulk density Not applicable as the product is a liquid.

Soluble in water.

Decomposition temperature No information available as testing has not been completed.

Partition coefficient; n-

Octanol/Water

Not applicable as the product is a mixture.

Auto ignition temperature (°C) Not applicable as the product is not flammable.

Viscosity No information available as testing has not been completed.

Explosive properties Not classified as explosive.

Oxidising properties The product does not meet the criteria to be classified as oxidising.

9.2 Other information

Molecular weight Not applicable as the product is a mixture.

Volatile organic compound No information available as testing has not been completed.

Other information None noted.

Section 10: Stability and reactivity

10.1 Reactivity

Reactivity Reaction with: Strong oxidising agents. Reaction with strong acid. Corrosive to metals.

10.2 Chemical stability

Stability Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

Hazardous reactions For information on hazardous reaction see section 10.1.

Hazardous polymerisationUnknownPolymerisation descriptionUnknown

10.4 Conditions to Avoid

Conditions to avoid Heat, sparks, open flames, temperature extremes and direct sunlight.

10.5 Incompatible materials

Materials to avoid Avoid oxidising agents. Strong acids. Do not mix with other chemicals unless listed on

directions. Avoid contact with metals.

10.6 Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours.

Section 11: Toxicological information

11.1 Information on hazard classses as defined in Regulation (EC) No. 1272/2008

Toxicological information No toxicological information for the overall finished product.

Acute toxicity (Oral LD50)No information available as testing has not been completed.Acute toxicity (Dermal LD50)No information available as testing has not been completed.Acute toxicity (Inhalation LD50)No information available as testing has not been completed.

Serious eye damage/irritation Causes severe eye damage.

Skin corrosion/irritation The product is classified as a skin corrosion/irritation hazard.

Respiratory sensitisationThe product is not classified as a respiratory hazard. **Skin sensitisation**The product is not classified as a skin sensitisation hazard.

Germ cell mutagenicity The product is not classified as a mutagen.

Carcinogenicity The product is not classified as a carcinogen hazard.

Specific target organ toxicity - Single exposure:

STOT - Single exposure The product is not classified as a single exposure specific target organ toxin.

Specific target organ toxicity - Repeated exposure:

STOT - Repeated exposureThe product is not classified as a repeat exposure specific target organ toxin.

Inhalation Inhalation of mist or vapor may cause respiratory tract irritation.

Ingestion May cause chemical burns in mouth and throat. May cause severe internal injury.

Skin contact Corrosive. Cause severe skin burns.

Eye contact Corrosive to eyes. Causes severe eye damage.

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

Routes of entry Eyes, skin, ingestion or inhalation.

Target organs Eyes, skin, digestive system, respiratory system.

Aspiration hazards: The product is not classified as an aspiration hazard. **Reproductive toxicity:** The product is not classified as a reproductive hazard.

Name	LD50 oral	LD50 dermal	LD50 inhalation
Benzyl-C12-14-alkyldimethylammonium chlorides	397.50mg/kg Rat	3412.00mg/kg Rabbit	
Alcohols, C12-13, branched and linear, ethoxylated	>300.00mg/kg Rat	>2000.00mg/kg Rabbit	
Disodium metasilicate pentahydrate	1152.00mg/kg Rat	>5000.00mg/kg Rat	>2.06g/m3 Rat 4 Hours

11.2 Information on other hazards

Information on other hazards None known.

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - FishNo information available as testing has not been completed.Acute toxicity - Aquatic invertebratesNo information available as testing has not been completed.Acute toxicity - Aquatic plantsNo information available as testing has not been completed.Acute toxicity - MicroorganismsNo information available as testing has not been completed.Chronic toxicity - FishNo information available as testing has not been completed.Chronic toxicity - AquaticNo information available as testing has not been completed.

invertebrates

Chronic toxicity - Aquatic plants No information available as testing has not been completed. **Chronic toxicity - Microorganisms** No information available as testing has not been completed.

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Eco toxilogical information The product contains a substance which is toxic to aquatic organisms.

12.2 Persistence and degradability

DegradabilityThe degradability of the product has not been stated.Biological oxygen demandNo information available as testing has not been completed.Chemical oxygen demandNo information available as testing has not been completed.

12.3 Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Bioaccumulation factor No information available as testing has not been completed.

Partition coefficient; n-Not applicable as the product is a mixture.

Octanol/Water

12.4 Mobility in soil

Mobility Soluble in water.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties The product does not contain any substances with endocrine disrupting properties at a

concentration above or equal to 0.1%.

12.7 Other adverse effects

Other adverse effects None known.

Name	Acute toxicity (Fish)	ACIITE TOXICITY LAGIIATIC INVERTENTATES I	Acute toxicity (Aquatic plants)
Alcohols, C12-13, branched and linear, ethoxylated		EC50 48 Hours 1.00mg/l Daphnia magna	
Disodium metasilicate pentahydrate	LC50 96 Hours 210.00mg/l Brachydanio rerio (Zebra Fish)	EC50 48 Hours 1700.00mg/l Daphnia magna	EC50 72 Hours 207.00mg/l Scenedesmus Subspicatus

Section 13: Disposal considerations

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

13.1 Waste treatment methods

Disposal methods Dispose of waste and residues in accordance with local authority requirements. For waste

disposal, use a licensed industrial waste disposal agent.

Section 14: Transport information

14.1 UN number or ID number

 UN no. (ADR)
 UN1760

 UN no. (IMDG)
 UN1760

 UN no. (IATA)
 UN1760

14.2 UN proper shipping name

ADR proper shipping name CORROSIVE LIQUID, N.O.S. (Disodium metasilicate pentahydrate + Benzyl-C12--

 $\hbox{$4$-alkyldimethylammonium } \hbox{$chlorides)$}$

IMDG proper shipping name CORROSIVE LIQUID, N.O.S. (Disodium metasilicate pentahydrate + Benzyl-C12--

4-alkyldimethylammonium chlorides)

IATA proper shipping name CORROSIVE LIQUID N.O.S. (Disodium metasilicate pentahydrate + Benzyl-C12-

4-alkyldimethylammonium chlorides)

14.3 Transport hazard class(es)

ADR class 8
IMDG class 8
IATA class 8

Transport labels



14.4 Packing group

ADR/RID/ADN packing group III
IMDG packing group III
IATA packing group III

14.5 Environmental hazards

ADR Yes IMDG Yes IATA Yes

14.6 Special precautions for user

EMS F-A, S-B
Emergency action code A3 A803
Hazard no. (ADR) 80
Tunnel restriction code (E)

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals

(REACH).

REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)

(Amendment etc.) (EU Exit) Regulations 2019.

Approved code of practice Workplace Exposure Limits Guidance Note EH40/2005.

2021 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2021) and the Safety, Health and Welfare at Work (Carcinogens)

Regulations (2001-2019)

15.2 Chemical safety assessment

Chemical safety assessment No chemical safety assessment has been carried out.

Section 16: Other information

General information This Safety Data Sheet is in accordance with REACH Annex II, (EC) No 2020/878.

Workplace Exposure Limits Guidance Note EH40/2005. (Fourth Edition 2020)

Revision comments This is a first issue. Revision date15 June 2022

Revision

Safety data sheet status Approved.

Hazard statements in full

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H302 Harmful if swallowed.H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.