

:

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 21/04/2017 Revision date: 05/06/2015

PP OVENCLEAN COLD OVEN CLEANER

Version: 10.0

08019

FF OVENCELAN COLD OVEN	CELANER 000
SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: PP OVENCLEAN COLD OVEN CLEANER
Product code	: 08019
Type of product	: Technical product
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Oven and Grill Cleaner
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the sat	ietu data sheet
SELDEN RESEARCH LIMITED	STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM
	Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk
1.4. Emergency telephone number	
Emergency number	: Mon to Fri 8.30am to 5.00pm - 01298 26226
SECTION 2: Horordo identificatio	
SECTION 2: Hazards identificatio	
2.1. Classification of the substance	
Classification according to Regulation (E	C) No. 1272/2008 [CLP]
Skin Corr. 1A H314	
Full text of H-phrases: see section 16	
2.2. Label elements	
Labelling according to Regulation (EC) N	o. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	L. W.
	GHS05
Signal word (CLP)	: Danger
Hazardous ingredients	: sodium hydroxide, caustic soda
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage
Precautionary statements (CLP)	: P264 - Wash hands thoroughly after handling P280 - Wear face protection, protective gloves, protective clothing
	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing
	P315 - Get immediate medical advice/attention P405 - Store locked up
	i 400 - Gluie lucked up
2.3. Other hazards	

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide, caustic soda	(CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011-002-00-6	5 - 15	C; R35	Skin Corr. 1A, H314
Sodium laurylether sulphate	(CAS No) 68891-38-3 (EC no) 500-234-8	1 - 5	Xi; R41 Xi; R38	Eye Dam. 1, H318 Skin Irrit. 2, H315

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Burns.
	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the s	
Hazardous decomposition products in case of fire	: Corrosive vapours.
5.3. Advice for firefighters	
No additional information available	
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.4.2 For emergency recordered	
6.1.2. For emergency responders	· Lies personal protective equipment of required
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containm	ient and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
For further information refer to section 8: "Expo	sure controls/personal protection". For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, incluc Technical measures	
Storage conditions	 Does not require any specific or particular technical measures. Keep container closed when not in use.
Storage conditions	

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Incompatible materials

Special rules on packaging

7.3. Specific end use(s)

: Keep only in original container.

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

- Materials for protective clothing
- Hand protection

- : Safety boots. PICM008 : Protective gloves
- : Face shield

: Metals.

- Eye protection
- Skin and body protection
- Respiratory protection

Wear suitable protective clothingNot required for normal conditions of use



SECTION 9: Physical and che	emical properties
------------------------------------	-------------------

9.1.	Information on basic physical ar	nd che	mical properties
Physical	state	:	Liquid
Appeara	ince	:	Mobile liquid.
Colour		:	dark yellow.
Odour		:	odourless.
Odour th	nreshold	:	No data available
рН		:	13
Relative	evaporation rate (butylacetate=1)	:	No data available
Melting	point	:	No data available
Freezing	g point	:	No data available
Boiling p	point	:	No data available
Flash po	pint	:	No data available
Auto-ign	ition temperature	:	No data available
Decomp	osition temperature	:	No data available
Flamma	bility (solid, gas)	:	No data available
Vapour	pressure	:	No data available
Relative	vapour density at 20 °C	:	No data available
Relative	density	:	1.12
Solubility	ý	:	No data available
Log Pow	1	:	No data available
Viscosity	y, kinematic	:	No data available
Viscosity	y, dynamic	:	No data available
Explosiv	e properties	:	No data available
Oxidisin	g properties	:	No data available
Explosiv	e limits	:	No data available
0.0	Other information		

9.2. Other information

No additional information available

SECTI	ON 10: Stability and reactivity
10.1.	Reactivity
No additi	onal information available
10.2.	Chemical stability
Stable ur	nder normal conditions.

08019

Safety Data Sheet

according to Regulation (EC) No. 453/2010

10.3.	Possibility of hazardous reactions
No addi	nal information available
10.4.	Conditions to avoid
No addi	nal information available
10.5.	Incompatible materials
metals.	
10.6.	Hazardous decomposition products
No oddi	nal information quailable

No additional information available

Acute toxicity : Skin corrosion/irritation : Serious eye damage/irritation :	 Not classified Causes severe skin burns and eye damage. pH: 13
Serious eye damage/irritation	
	: Serious eye damage, category 1, implicit pH: 13
Respiratory or skin sensitisation :	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated : exposure)	: Not classified
Aspiration hazard	: Not classified

No additional information available

12.2.	Persistence and degradability		
No addi	itional information available		
12.3.	Bioaccumulative potential		
No addi	itional information available		
12.4.	Mobility in soil		
No addi	itional information available		
12.5.	Results of PBT and vPvB assessment		
No addi	itional information available		
12.6.	Other adverse effects		
No additional information available			

SECTION 13: Disposal considerations 13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: 1824
UN-No. (IMDG)	: 1824
UN-No.(IATA)	: 1824
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IMDG)	: SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IATA)	: SODIUM HYDROXIDE SOLUTION
Transport document description (ADR)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II, (E)

Safety Data Sheet

Fransport document description (IMDG)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II
14.3. Transport hazard class(es)	
ADR	
Fransport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8
NDO	
MDG	. 0
Fransport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8
	·
	8
ΑΤΑ	
Fransport hazard class(es) (IATA)	: 8
Hazard labels (IATA)	: 8
	8
4.4. Packing group	
Packing group (ADR)	: II
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
4.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant Dther information	: No
	: No supplementary information available

- Overland transport	
Classification code (ADR)	: C5
Limited quantities (ADR)	: 1L
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Orange plates	· 80
	1824
Tunnel restriction code (ADR)	: E
EAC code	: 2R
- Transport by sea	
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
BC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L
	nex II of MARPOL 73/78 and the IBC Code
IBC code	: Not applicable.
SECTION 15: Regulatory informatio	n
	egulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	- 3
Contains no substances with Annex XVII restric	tion
Contains no substance on the REACH candidate	
Contains no REACH Annex XIV substances	
15.1.2. National regulations	
Germany	
VwVwS Annex reference	: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Denmark	
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product
15.2. Chemical safety assessment	
No additional information available	

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
1313	

Safety Data Sheet

according to Regulation (EC) No. 453/2010

H318

Causes serious eye damage

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product