

CITRUS SQUEEZE

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 7/2/2019 Version: 10.1

Generated : 02/07/2019

1.1. Product identification of the st	ubstance/mixture and of the company/undertaking
Product form	: Mixture
Product name	: CITRUS SQUEEZE
Product code	: KSH3
Type of product	: Aerosol
Vaporizer	: Aerosol
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: air freshener
1.2.2. Uses advised against No additional information available	
1.3. Details of the supplier of the safet	ty data sheet
SELDEN RESEARCH LIMITED	STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk
1.4. Emergency telephone number	
Emergency number	Mon to Fri 8.30am to 5.00pm - 01298 26226
SECTION 2: Hazards identification 2.1. Classification of the substance or	
Classification according to Regulation (EC Aerosol, Category 1	;) No. 1272/2008 [CLP]Mixtures: SDS < 2015 : Show CLP information only H222:H229
Full text of H statements : see section 16	
Adverse physicochemical, human health a No additional information available	nd environmental effects
2.2. Label elements	
Labelling according to Regulation (EC) No Hazard pictograms (CLP)	
Signal word (CLP)	GHS02 : Danger
Hazard statements (CLP)	: H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
EUH-statements	P251 - Do not pierce or burn, even after use. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122
EUH-statements 2.3. Other hazards	P251 - Do not pierce or burn, even after use. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

SECTION 3: Composition/information on ingredients 3.1. Substances

Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
butane substance with national workplace exposure limit(s) (GB)	(CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0	5 - 10	F+; R12	Flam. Gas 1, H220 Press. Gas
propan-2-ol; isopropyl alcohol; isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558- 25	1 - 5	F; R11 Xi; R36 R67	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of water/
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
4.3. Indication of any immediate medical att Treat symptomatically.	ention and special treatment needed

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Extremely flammable aerosol.	
Explosion hazard	: Explosion risk in case of fire.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers.	

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Remove ignition sources.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Use personal protective equipment as required.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment a	and cleaning up		
For containment	: Collect spillage.		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.		
6.4. Reference to other sections			
For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.			

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Do not pierce or burn, even after use.

Document generated @ 02/07/2019 09:46:01

Page 2 of 7

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautions for safe handling	: Do not spray on an open flame or other ignition source.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including a	ny incompatibilities
Technical measures	: Does not require any specific or particular technical measures.
Storage conditions	: Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.
Incompatible materials	: Direct sunlight. Heat sources. Sources of ignition.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

butane (106-97-8)		
United Kingdom	Local name	Butane
United Kingdom	WEL TWA (mg/m³)	1450 mg/m ³
United Kingdom	WEL TWA (ppm)	600 ppm
United Kingdom	WEL STEL (mg/m ³)	1810 mg/m ³
United Kingdom	WEL STEL (ppm)	750 ppm
United Kingdom	Remark (WEL)	Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene)

8.2. Exposure controls

terials for protective clothing:
required for normal conditions of use
nd protection:
ase of repeated or prolonged contact wear gloves
e protection:
required for normal conditions of use
n and body protection:
required for normal conditions of use
spiratory protection:
required for normal conditions of use

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Aerosol.	
Colour	: Colourless.	
Odour	: sharp.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Document generated @ 02/07/2019 09:46:01		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.81
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
Pressurised container: May burst if heated.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Direct sunlight. Heat. Open flame.
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Vaporizer	Aerosol

vapolizei	Aerosol
SECTION 12: Ecological information	
12.1. Toxicity	
Acute aquatic toxicity	: Not classified

Chronic aquatic toxicity	: Not classified
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 fish 1	9640 mg/l

Page 4 of 7

CITRUS SQUEEZE

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Log Pow	0.14
Log Pow 12.4. Mobility in soil	0.14
•	0.14
12.4. Mobility in soil	0.14
12.4. Mobility in soil No additional information available	0.14
12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment	0.14

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	



: Do not pierce or burn, even after use.

SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / A	DN
14.1. UN number	
UN-No. (ADR)	: 1950
UN-No. (IMDG)	: 1950
UN-No. (IATA)	: 1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 2.1

Transport nazard class(es) (ADR)	
Danger labels (ADR)	



ΙΑΤΑ

IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG)



: 2.1



Transport hazard class(es) (IATA)

: 2.1

Hazard labels (IATA)

KSH3

CITRUS SQUEEZE		KSH3
Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830		
14.4. Packing group		
Packing group (ADR)	: Not applicable	
Packing group (IMDG)	: Not applicable	
Packing group (IATA)	: Not applicable	
14.5. Environmental hazards		
Dangerous for the environment	: No	
Marine pollutant	: No	
Other information	: No supplementary information available	
14.6. Special precautions for user		
Overland transport		
Classification code (ADR)	: 5F	
Special provisions (ADR)	: 190, 327, 344, 625	
Limited quantities (ADR)	: 11	
Excepted quantities (ADR)	: E0	
Packing instructions (ADR)	: P207, LP02	
Special packing provisions (ADR)	: PP87, RR6, L2	
Mixed packing provisions (ADR) Transport category (ADR)	: MP9 : 2	
Special provisions for carriage - Packages (ADR)	. Z : V14	
Special provisions for carriage - Loading,		
unloading and handling (ADR)	: CV9, CV12	
Special provisions for carriage - Operation (ADR)	: S2	
Tunnel restriction code (ADR)	: D	
Transport by sea		
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959	
Limited quantities (IMDG)	: SP277	
Excepted quantities (IMDG)	: E0	
Packing instructions (IMDG)	: P207, LP02	
Special packing provisions (IMDG)	: PP87, L2	
EmS-No. (Fire)	: F-D	
EmS-No. (Spillage)	: S-U	
Stowage category (IMDG)	: None	
Air transport		
PCA Excepted quantities (IATA)	: E0	
PCA Limited quantities (IATA)	: Y203	
PCA limited quantity max net quantity (IATA)	: 30kgG	
PCA packing instructions (IATA)	: 203	
PCA max net quantity (IATA)	: 75kg	
CAO packing instructions (IATA)	: 203	
CAO max net quantity (IATA)	: 150kg	
Special provisions (IATA)	: A145, A167, A802	
ERG code (IATA)	: 10L	
14.7. Transport in bulk according to Annex IBC code	Il of Marpol and the IBC Code : Not applicable.	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available 15.2. Chemical safety assessment No additional information available

CITRUS SQUEEZE

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Full text of R-, H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Press. Gas	Gases under pressure
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH208	Contains (R)-p-mentha-1,8-diene; d-limonene. May produce an allergic reaction.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.