

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 6/27/2019 Version: 10.1

Generated : 17/09/2019

1.1. Product identifier	ubstance/mixture and of the company/undertaking
Product form	: Mixture
Product name	: H1S - S-CONC BACTERICIDAL HARD SURFACE CLEANER
Product code	: HIS
Type of product	: Technical product
	bstance or mixture and uses advised against
	Stance of mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Super-concentrated Bactericidal Hard Surface Cleaner
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safet	y data sheet
SELDEN RESEARCH LIMITED	STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM
	Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk
1.4. Emergency telephone number	
Emergency number	Mon to Fri 8.30am to 5.00pm - 01298 26226
SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures: SDS < 2015 : Show CLP information only
Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 1B	H314
Full text of H statements : see section 16	
Adverse physicochemical, human health a	nd environmental effects
No additional information available	
2.2. Label elements	
	4070/0000 [C] [D]
Labelling according to Regulation (EC) No. Hazard pictograms (CLP)	
Hazaru pictograms (CEP)	
	V V
	GHS05 GHS07
Signal word (CLP)	: Danger
Hazardous ingredients	: Laureth-7; Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Hazard statements (CLP)	: H302 - Harmful if swallowed.
· /	H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	: P260 - Do not breathe spray.
	P264 - Wash hands thoroughly after handling.
	P280 - Wear protective gloves, eye protection. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
0.0. Others have a de	contact lenses, if present and easy to do. Continue rinsing.
2.3. Other hazards	

No additional information available

SECTION 3: Composition/information on ingredients 3.1. Substances

Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Laureth-7	(CAS-No.) 160901-19-9	15 - 30	Xn; R22 Xi; R41	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
propan-2-ol; isopropyl alcohol; isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558- 25	5 - 10	F; R11 Xi; R36 R67	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	(CAS-No.) 68424-85-1 (EC-No.) 270-325-2 (REACH-no) 01-2119965180- 41	5 - 10	Xn; R22 C; R34 N; R50	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic Not classified

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of water/ Take off immediately all contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Burns.
4.3. Indication of any immediate medical atte	ention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the substa	
Hazardous decomposition products in case of fire	: Corrosive vapours.
5.3. Advice for firefighters	
No additional information available	
SECTION 6: Accidental release measure	
6.1. Personal precautions, protective equipr	nent and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment a	nd cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
For further information refer to section 8: "Exposure of	controls/personal protection". For further information refer to section 13.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including a	ny incompatibilities
Technical measures	: Does not require any specific or particular technical measures.
Storage conditions	: Keep container closed when not in use.
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.
Incompatible materials	: Metals.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm
United Kingdom Regulatory reference EH40/2005 (Third edition, 2018). HSE		EH40/2005 (Third edition, 2018). HSE
8.2. Exposure contro	bls	
Materials for protective	e clothing:	
Not required for normal	conditions of use	
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protecti	on:	
Not required for normal	conditions of use	
Respiratory protection:		
Not required for normal conditions of use		

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties	
9.1. Information on basic physical and chemical properties	
Physical state : Liquid	
Appearance : Liquid.	
Colour : red.	
Odour : Floral.	
Odour threshold : No data available	
рН : 10.9	
Relative evaporation rate (butylacetate=1) : No data available	
Melting point : No data available	
Freezing point : No data available	
Boiling point : No data available	
Flash point : No data available	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.99
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

No additional information available

ECTION 10: Stability and reactivity
0.1. Reactivity
o additional information available
0.2. Chemical stability
table under normal conditions.
0.3. Possibility of hazardous reactions
o additional information available
0.4. Conditions to avoid
o additional information available
0.5. Incompatible materials
ietals.
0.6. Hazardous decomposition products
o additional information available

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Oral: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
ATE CLP (oral)	1406.043 mg/kg bodyweight
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
	pH: 10.9
Serious eye damage/irritation	: Serious eye damage, category 1, implicit
	pH: 10.9
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
Acute aquatic toxicity	Not classified
Chronic aquatic toxicity	Not classified
Laureth-7 (160901-19-9)	
LC50 other aquatic organisms 1	> 1 (1 - 10) mg/l
EC50 Daphnia 1	> 1 (1 - 10) mg/l
ErC50 (algae)	> 1 (1 - 10) mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)
LC50 fish 1	9640 mg/l
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l

Quaternary ammonium compounds, benzyl-C	12-16-alkyldimethyl, chlorides (68424-85-1)
ErC50 (algae)	< mg/l
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
propan-2-ol; isopropyl alcohol; isopropanol (6	67-63-0)
Log Pow	0.14
Log Pow 12.4. Mobility in soil	0.14
5	0.14
12.4. Mobility in soil	0.14
12.4. Mobility in soil No additional information available	0.14
12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment	0.14

SECTION 13: Disposal considerations 13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / ADN	
14.1. UN number	
UN-No. (ADR)	: 1760
UN-No. (IMDG)	: 1760
UN-No. (IATA)	: 1760
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Corrosive liquid, n.o.s.
Transport document description (ADR)	: UN 1760 CORROSIVE LIQUID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS), 8, III, (E)
Transport document description (IMDG)	: UN 1760 CORROSIVE LIQUID, N.O.S., 8, III
Transport document description (IATA)	: UN 1760 Corrosive liquid, n.o.s., 8, III
14.3. Transport hazard class(es)	
ADR	

Transport hazard class(es) (ADR)	
Danger labels (ADR)	

: 8	
: 8	

IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG)

: 8

: 8

Page 5 of 7

ΙΑΤΑ

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard labels (IATA)	: 8
	8
14.4. Packing group	
Packing group (ADR)	: 111
Packing group (IMDG)	: 111
Packing group (IATA)	: 111
14.5. Environmental hazards Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: C9
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	80 1760
Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B
Transport by sea	
Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA) Special provisions (IATA)	: 60L : A3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ERG code (IATA)

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code IBC code : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: 8L

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available **15.2. Chemical safety assessment** No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic Not classified	Hazardous to the aquatic environment - Chronic Hazard Not classified	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.