

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Printing Date 09 July 2013

Adamatic HW

Issue 1T Revision 13 February 2013

1 Identification of the substance/m	ixture and of the company u	undertaking	
1.1 Product Identifier	Product Name	Adamat	ic HW
	Product Codes	1039, 1	390
1.2 Relevant identified uses of the subs	stance or mixture and uses adv	ised against	
Identified Uses of the substance/mixture	Dishwash product. Automatic	process. Professiona	al Use.
Uses advised against	Uses other than those identified	ed are not recomme	ended
1.3 Details of the supplier of the safety	data sheet		
Manufacturer/Distributor	RP Adam Ltd Arpal Works Riverside Road Selkirk, TD7 5DU UK	Tel. Fax. email	+44 (0) 1750 21586 +44 (0)1750 21506 Salesinfo@rpadam.co.uk
1.4 Emergency Telephone Number			
National Advisory Body/Poison Centre			
Tel.	National Poison Information S (0870 600 6266 Medical Profe		. ,,
Manufacturer/ Distributor/ Importer			
Telephone number:	+ 44 (0)1750 21586		

2 Hazards Identification		
2.1 Classification of Substance	or mixture	
Product Definition	Mixture	
Classification according to Dire	ctive 1999/45/EC [DPI	D]
Classification	С	Corrosive
Human Health Hazards	R35	Causes severe burns
See Section 11 for more detailed inj	formation on health effec	cts and symptoms.
2.2 Label Elements		
Hazard Symbol(s)		
Indication of danger	CORROS	IVE
Risk Phrases	R35	Causes severe burns
Safety Phrases	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
	S28a	After contact with skin, wash immediately with plenty of water.
	S45	In case of accident or if you feel unwell, seek medical advice immediately (show label where possible)
	\$36/37/39	Wear suitable protective clothing, gloves and eye/face protection
2.3 Other hazards		
Other hazards which do not result	in classification	Not applicable

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Printing Date 09 July 2013

Adamatic HW

Issue 1T Revision 13 February 2013

3 Composition/Information on Ingredients

3.2 Mixtures

Product/Ingredient Name	Identifiers Reach No/CAS/EC No		Classification		
		%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Sodium Hydroxide	01-2119457892-27/	10-20	C; R35	Skin Corr 1A (H314)	1, 2
	1310-73-2/				
	215-185-5				
Trisodium nitrilotriacetate	01-2119519239-36/	1-5%	Xn; R22,	Carc 2 (H351)	1
	5064-31-3/		R36, R40	Acute Tox. 4 (H302)	
	225-768-6			Eye Irrit. 2 (H319)	
1-Hydroxy Ethylidenen-1,1 Diphosphonic	01-2119510391-53/	1-5%	Xi; R41	Eye Dam. 1 (H318)	1
Acid	2809-21-4/				
	220-552-8				

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section

- 1 Substance classified with a health or environmental hazard
 - 2 Substance with a workplace exposure limit

3 Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

4 Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

4 First aid measures

Туре

4.1 Description of first aid measures

Eye Contact	Get medical attention immediately. Rinse opened eye for at least 15 minutes with plenty of water. Check for and remove contact lenses. Any chemical burns must be treated promptly by a doctor
Inhalation	Remove from source of exposure. Supply fresh air. Get medical attention immediately
Skin Contact	Immediately wash thoroughly with plenty of water. Remove all contaminated clothing.
	Continue to rinse for 15 minutes. Apply sterile dressings if required. Consult a skin specialist in the event of irritation or burns.
Ingestion	Immediately rinse mouth and ask person to slowly sip 200-300 ml of water or milk. Stop if person shows signs of vomiting. Seek medical attention immediately. Do not induce
	vomiting.
Protection of First Aider	Wear PPE if appropriate (Refer to section 8.2)

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Severe burns and irritation are most likely symptoms when there is exposure to skin, eyes and respiratory system. Not considered to cause sensitization. Further important symptoms and effects are so far not known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

Treat according to symptoms (decontamination, vital functions). Toxicological information on components, where available, in given in section 11.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Printing Date 09 July 2013

Adamatic HW

Issue 1T Revision 13 February 2013

5 Fire fighting measures 5.1 Extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog Extinguishing media Unsuitable extinguishing media None known 5.2 Special hazards arising from the substance or mixture Hazards from the substance or mixture In a fire or if heated, a pressure increase will occur and the container may burst. Hazardous combustion products During fire toxic gases, CO and CO₂ are formed **5.3 Advice for fire-fighters** Special precautions for fire-fighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Special protective equipment for fire-Fire-fighters should wear self-contained breathing apparatus and suitable personal fighters protective equipment as appropriate to the surrounding fire.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray/mist. Avoid contact with the skin, eyes and clothing. Use personal protective clothing. Information regarding personal protective measures see, section 8.

6.2 Environmental precautions

Do not discharge into drains/surface waters/groundwater. Contain contaminated water/fire fighting water.

6.3 Methods and material for containment and cleaning up

Small spill:

Large spill

Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. dry sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

7 Handling and storage

7.1 Precautions for safe handling

Keep container tightly closed. Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid contact with the skin, eyes and clothing. Contaminated surfaces may be extremely slippery. Clean up spillages. Do not allow to dry. Do not eat, drink or smoke in area where material is used or stored.

7.2 Conditions for safe storage, including any incompatibilities

Protect against heat. Store in original labelled containers. Keep container tightly closed, upright and in a cool place. Keep away from acids. Protect from freezing.

7.3 Specific end use(s)

Recommendations	Not specific advice available.
Industrial sector specific solutions	Not applicable.

Safety Data Sheet Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Printing Date 09 July 2013

Adamatic HW

Issue 1T Revision 13 February 2013

8.1 Control parameters	
Occupational exposure limits	
Product/ingredient name	Exposure limit values
Sodium hydroxide	EH40 (United Kingdom): STEL: 2mg/m ³ (15 minutes)
Derived effect levels No DNELs available for the mixture Predicted effect concentrations No PNECs available for the mixture.	
8.2 Exposure controls	
Process conditions	Provide eye-wash stations
Engineering Measures	The concentrated product is intended to be used via a dosing system to avoid splashes and contact with the skin. Wear appropriate PPE if contact is possible when connecting to dosing system. If airborne vapours or mists are generated provide adequate general and local exhaust ventilation to keep exposure below any statutory limits.
Personal Protective Equipment	
Respiratory protection:	Not needed in normal use. If vapour/aerosol is created use particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 14387)
Hand protection	Wear chemical resistant protective gloves (EN 374) Review condition of gloves when in use, especially for wear, cuts and breakthrough after prolonged contact.
	Butyl rubber gloves are recommended for prolonged contact (Breakthrough: 4-6hrs) Nitrile rubber suggested for short contact or splash protection (Breakthrough: 30-60 min) Consult with a supplier of protective gloves for further information or for other tasks.
Eye protection	Tightly fitting safety goggles (splash goggles) (e.g. EN 166)
Body protection:	Wear chemical resistant clothing and boots if exposure/splashing may occur. Other body protection may be suitable depending on activity and possible exposure, e.g. apron, chemical-protection suit (meeting EN 14605).
General safety and hygiene measures	

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Printing Date 09 July 2013

Adamatic HW

Issue 1T Revision 13 February 2013

9 Physical & chemical properties

hysical state	Liquid.	
Colour	Clear, pale straw.	
)dour	Product specific.	
)dour threshold	Not determined for the mixture.	
H value 20 Deg C	13 - 14 (at 100%)	
Aelting point/Freezing point	Not determined for the mixture.	
nitial boiling point and boiling range	Not determined for the mixture.	
lash point	>100 deg C	
vaporation rate	Not determined for the mixture.	
lammability (solid, gas)	Not flammable.	
Surning time	Not determined for the mixture.	
surning rate	Not determined for the mixture.	
Ipper/lower flammability or explosive	Not determined for the mixture.	
mits		
apour pressure	Not determined for the mixture.	
elative density	1.21 – 1.25	
olubility(ies)	Readily soluble in cold and hot water	
artition coefficient: n-octanol/water	Not determined for the mixture.	
uto ignition temperature	Not determined for the mixture.	
ecomposition temperature	Not determined for the mixture.	
liscocity	Not determined for the mixture.	
xplosive properties	Not explosive	
Dxidising properties	None	
.2 Other Information		
Io further relevant information available		

10 Stability and Reactivity	
10.1 Reactivity	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical Stability	Stable mixture under normal conditions or storage and use.
10.3 Possibility of hazardous reactions	Hazardous reactions will not occur in normal storage conditions.
10.4 Conditions to avoid	None known in normal storage conditions.
10.5 Incompatible materials	Will react with acids.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicology

11.1 Information on toxicological effects

Toxicological data for this mixture is not available as animal toxicity studies have not been carried out. Toxicological data for the raw materials is, where provided by the manufacturer, available on request.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Printing Date 09 July 2013

Adamatic HW

Issue 1T Revision 13 February 2013

12 Ecological information

12.1 Toxicity Ecological Toxicity data for this mixture is not available as ecological toxicity studies have not been carried out. Ecological Toxicity data for the raw materials is, where provided by the manufacturer, available on request. 12.2 Persistence and degradability Conclusion/Summary Any surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC 12.3 Bioaccumulative potential **Conclusion/Summary** Not determined for the mixture. 12.4 Mobility in soil Soil/water partition coefficient (KOC) Not determined for the mixture. Mobility Not determined for the mixture. 12.5 Results of PBT and vPvB assessment PBT Not applicable. vPvB Not applicable. No known significant effects or critical hazards. 12.6 Other adverse effects

13: Disposal considerations	
13.1 Waste treatment methods	
Waste from residues / unused products	Dispose of in compliance with all Federal, state, provincial and local laws and regulations.
	EWC Code 20 01 29* - detergents containing dangerous substances
Empty packaging recommendation:	Dispose of observing national or local regulations. (Can be cleaned with water)
	EWC Code 20 01 39

14: Transport information				
	ADR/RID	ADN/ADNR	IMDG	ΙΑΤΑ
14.1 UN number	UN 1824	UN 1824	UN 1824	UN 1824
14.2 UN proper shipping name	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION
14.3 Transport hazard class(es): 8	CORROSIVE	CORROSIVE	CORROSIVE	CORROSIVE
14.4 Packing group	Ĩ	ii	II	Ĩ
14.5 Environmental hazards	None	None	None	None
14.6 Special precautions for user	None known	None known	None known	None known
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBCCode		Not Ap	plicable	
Other relevant information (ADR)	Classification code: C	5 Tunnel restriction coo	de: E Hazard Identificat	ion No: 80

15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Ingredients according to EC Detergents Regulation 648/2004 <5% Phosphonates NTA (nitriloacetic acid) and salts 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

Safety Data Sheet Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Printing Date 09 July 2013

Adamatic HW

Issue 1T Revision 13 February 2013

16: Other information

-	ent is based on our best present knowledge. However, it does not constitute a guarantee for
	and does not establish a legally binding contract
Reason for revision:	Overall design adjusted in accordance with Regulation (EC) No 1907/2006, Annex II
Full text of the R, H and EUH p	phrases mentioned in section 3
R35	Causes severe burns
R22	Harmful if swallowed
R36	Irritating to eyes
R40	Limited evidence of a carcinogenic effect
R41	Risk of serious damage to eyes
H314	Causes severe skin burns and eye damage
H351	Suspected of causing cancer
H302	Harmful if swallowed
H319	Causes serious eye irritation
H318	Causes serious eye damage
Abbuen intigues and supervised	
Abbreviations and acronyms ATE	Acuto Tovicity Estimato
	Acute Toxicity Estimate
CLP	Classification, Labelling and Packaging Regulation [Regulation (EC) No.1272/2008]
DNEL	Derived No Effect Level
EUH statement	CLP-specific Hazard statement
PNEC	Predicted No Effect Concentration
REACH No	REACH registration number, without supplier specific part