



POLISH STRIPPER

Description

A clear, ammonia free liquid.

Benefits and Features

Polish stripper is fast acting and will remove all wax and metallised polishes as it is harder wearing. When used correctly it will not damage the original surface.

Directions for Use

Dilute 1:20 in warm or cold water and apply using a scrubbing machine or a mop.

Allow to soften any heavy deposits and then rinse thoroughly with cold water.

Risk Phrases

- R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.
- R34: Causes burns
- R37: Irritating to respiratory system.

Safety Phrases

- S2: Keep out of the reach of children.
- S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.
- S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S46: In case of accident or if you feel unwell, seek medical advice immediately (show this container or label).

Hazardous Ingredients

- 2-Butoxyethanol
- 2-Aminoethanol
- 1-Aminopropan-2-ol
- Alcohol (C9-C11) Ethoxylated (8EO).
- Trisodium Nitrilo Triacetate.



Packaging

2 x 5ltr plastic bottles packaged in a strong cardboard outer.

SPD937

Storage: Avoid extremes of temperature. Shelf life unopened approx. 1 year.

Precautionary phrases: Safety data sheet available for professional user on request.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions that complete these regulations. Refer to all applicable national, international and local regulations or provisions.

Staples Disposables Ltd.
Woodbridge Road
East Road Industrial Estate
Sleaford, Lincs, NG34 7EW
Tel: 01529 411600
Fax: 01529 411607



SAFETY DATA SHEET

POLISH STRIPPER

Page 1

Issued: 9/12/2005

Revision No: 2

Sent to: Staples Disposables Ltd

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: POLISH STRIPPER

Product code: SPD937

Use / description of product: Harmful.

Company name: Staples Disposables Ltd

Woodbridge Road

East Road Industrial Estate

Sleaford

Lincolnshire

NG34 7EW

Tel: 01529 305520

Fax: 01529 411607

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: 2-BUTOXYETHANOL 10-20%

EINECS: 203-905-0 CAS: 111-76-2

[Xn] R20/21/22; [Xi] R36/38

• 2-AMINOETHANOL 2.5-10%

EINECS: 205-483-3 CAS: 141-43-5

[Xn] R20/21/22; [C] R34

• ALCOHOL (C9-C11) ETHOXYLATE (8EO) 2.5-10%

CAS: 68439-46-3

[Xn] R22; [Xi] R41

• 1-AMINOPROPAN-2-OL 2.5-10%

EINECS: 201-162-7 CAS: 78-96-6

[C] R34

• TRISODIUM NITRILLO TRIACETATE 2.5-10%

EINECS: 225-768-6 CAS: 5064-31-3

[Xi] R36/38

3. HAZARDS IDENTIFICATION

Main hazards: Harmful by inhalation, in contact with skin and if swallowed. Causes burns. Irritating to respiratory system.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

[cont...]

SAFETY DATA SHEET

POLISH STRIPPER

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

Exposure hazards: Corrosive. In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients: 2-BUTOXYETHANOL

TWA 25 ppm STEL 50 ppm

- 2-AMINOETHANOL

TWA 7.6 mg/m³ STEL 15 mg/m³

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Colourless

Odour: Barely perceptible odour

Solubility in water: Soluble

pH: 12.0

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Hazardous ingredients: 2-BUTOXYETHANOL

IVN RAT LD50 307 mg/kg

ORL MUS LD50 1230 mg/kg

ORL RAT LD50 470 mg/kg

- 2-AMINOETHANOL

IVN RAT LD50 225 mg/kg

ORL MUS LD50 700 mg/kg

ORL RAT LD50 1720 mg/kg

SCU RAT LD50 1500 mg/kg

- 1-AMINOPROPAN-2-OL

IPR MUS LDLO 250 mg/kg

ORL RAT LD50 1715 mg/kg

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

SAFETY DATA SHEET

POLISH STRIPPER

12. ECOLOGICAL INFORMATION**Mobility:** Readily absorbed into soil.**Persistence and degradability:** Biodegradable.**Bioaccumulative potential:** No bioaccumulation potential.**Other adverse effects:** Negligible ecotoxicity.**13. DISPOSAL CONSIDERATIONS****Disposal operations:** Small amounts (Less than 5 litres) of unwanted product may be flushed with water to sewer.
Larger volumes must be removed by approved waste contractor.**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.**14. TRANSPORT INFORMATION****ADR / RID**

UN no:	3267	ADR Class:	8
Packing group:	III	Classification code:	C7
Shipping name:	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.		
Labelling:	8	Hazard ID no:	80

**IMDG / IMO**

UN no:	3267	Class:	8
Packing group:	III	EmS:	8-15
Marine pollutant:	.	Labelling:	8

IATA / ICAO

UN no:	3267	Class:	8
Packing group:	III	Packing instructions:	818(P&CA); 820(PAO)
Labelling:	8		

15. REGULATORY INFORMATION**Hazard symbols:** Corrosive.**Risk phrases:** R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.
R34: Causes burns.
R37: Irritating to respiratory system.

[cont...]

SAFETY DATA SHEET

POLISH STRIPPER

Safety phrases: S2: Keep out of the reach of children.
S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk phrases used in s.2: R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.
R36/38: Irritating to eyes and skin.
R34: Causes burns.
R22: Harmful if swallowed.
R41: Risk of serious damage to eyes.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.